

**University of Mumbai**  
**Sample Question Paper**  
**Examination – 2020 Semester-II**

0212\_R19\_FE\_II\_FEC202\_QP1

1) What is the half angular width of the central bright maximum in the Fraunhofer diffraction pattern of a slit of width  $12 \times 10^{-7} \text{ m}$  when the slit is illuminated by monochromatic light of wavelength  $6000 \text{ \AA}$ .

- A.  $20^\circ$
- B.  $30^\circ$
- C.  $40^\circ$
- D.  $50^\circ$

2) The angular separation between the central maximum and first order minimum of the diffraction pattern due to a single slit of width  $0.25 \text{ mm}$ , when light of wavelength  $5890 \text{ \AA}$  is incident normally on the slit, is \_\_\_\_\_

- A. 7.1 minute
- B. 8.1 minute
- C. 9.1 minute
- D. 10.1 minute

3) Monochromatic light of wavelength  $590 \text{ nm}$  is incident normally on a plane diffraction grating having  $4 \times 10^5 \text{ lines m}^{-1}$ . An interference pattern is produced.

**What is the highest order visible in this interference pattern?**

- A. 2
- B. 3
- C. 4
- D. 5

4) A diffraction grating has 4000 lines per cm. The angle between the central maximum and the third order maximum is  $36^\circ$ . What is the wavelength of the light?

- A. 240 nm
- B. 490 nm
- C. 570 nm
- D. 620 nm

5) In multimode graded index fibre, light rays travel \_\_\_\_\_ in different parts of the fibre.

- A. at different speeds
- B. with same speed
- C. both a and b
- D. none of the above

6) In the population inversion

- A. The number of electrons in higher energy state is more than ground state
- B. The number of electrons in lower energy state is more than higher energy state
- C. The number of electrons in lower energy state and higher energy state are same
- D. None of them

7) Which of the laser have very low efficiency

- A. Ruby
- B. He- Ne
- C. Semiconductor
- D. Ammonia gas laser

8) The method of achieving population inversion in He- Ni Laser is

- A. Optical pumping
- B. inelastic Scattering
- C. forward biasing
- D. chemical reaction

9) In a semiconductor laser, the doping concentration is so high that the Fermi level in N type diode lies

- A. Center of energy gap
- B. Top of valence band
- C. Bottom of conduction band
- D. Inside the conduction band

10). If a hologram is illuminated by white light it will form

- A. Colorful image
- B. will not form image
- C. Single color image
- D. red image in black and white

**11) A particle of mass 'm<sub>0</sub>' moves with speed 0.8c, where 'c' is the speed of light in vacuum. The relativistic kinetic energy of the particle is nearly**

- A.  $1.66m_0c^2$
- B.  $m_0c^2$
- C.  $0.32m_0c^2$
- D.  $.66m_0c^2$

**12. -Lorentz transformation equations hold for**

- A. Non-relativistic velocities only
- B. Relativistic velocities only
- C. All velocities: relativistic & non-relativistic
- D. Photons only

**13 Which of the following is a postulate of special relativity?**

- A. The color of light is the same for all observers.**
- B. The laws of physics are the same for all observers in uniformly moving frames of reference.**
- C. The relative speed of two objects is the same for all observers.**
- D. Physicists can make no measurements in a moving reference frame.**

14. . Nanobiotechnology deals with materials of the size \_\_\_\_\_ m.

- A. 1 / 100000000
- B. 1 / 10000000
- C. 1 / 1000000000
- D. 1 / 10000000000

15. What are the approaches used in making nano systems?

- A. Top down.
- B. Bottom up.
- C. Both a and B.
- D. Neither a nor b

16. TEM is \_\_\_\_\_.

- A. Transmission Electron Microscope.
- B. Transmit Electron Microscope.
- C. Transmission Electrical Microscope.
- D. Transmit Electrical Microscope.

17. The temperature range of thermistor when compared to RTD is:

- 1.A. Smaller
- B. Same as RTD
- C. Larger
- D. None of above

18. The divergence of which quantity will be zero?

- A. E
- B. D
- C. H
- D. B

19 Find the Maxwell equation derived from Faraday's law.

- A.  $\text{Div}(\mathbf{H}) = \mathbf{J}$
- B.  $\text{Div}(\mathbf{D}) = \mathbf{I}$
- C.  $\text{Curl}(\mathbf{E}) = -\frac{d\mathbf{B}}{dt}$
- D.  $\text{Curl}(\mathbf{B}) = -\frac{d\mathbf{H}}{dt}$

20 Find the electric flux density of a material with charge density 16 units in unit volume.

- A. 1/16
- B. 16t
- C. 16
- D. 162