

# ENGINEERING COLLEGE THADOMAL SHAHANI ENGINEERING COLLEGE

- 7.1.6 Quality audits on environment and energy regularly undertaken by the Institution and any awards received for such green campus initiatives:
  - 1. Green audit
  - 2. Energy audit
  - 3. Environment audit
  - 4. Clean and green campus recognitions
  - 5. Beyond the campus environmental promotion activities
    - A. Any 4 or all of the above
    - B. Any 3 of the above
    - C. Any 2 of the above
    - D. Any 1of the above
    - E. None of the above

Sr. No.	Description	Page No.
1	Green Audit Report	2
2	Energy Audit Report	28
3	Environment Audit Report	59
4	Sample report of Beyond the campus environmental promotion activities	84







# **GREEN AUDIT REPORT**



# Varshasookt Consultants

We cherish the drops of life!!!







## **CONTENTS**

#### **ACKNOWLDGMENT**

#### **CERTIFICATE**

- 1. EXECUTIVE SUMMERY
- 2. INTRODUCTION
- 3. OBJECTIVE OF STUDY
- 4. METHODOLOGY
- 5. THE PRE-AUDIT STAGE
- 6. THE AUDIT STAGE
- 7. THE POST AUDIT STAGE
- 8. AUDIT GOLES OF THE COLLEGE
- 9. THE GOOGLE IMAGE OF COLLEGE
- **10.AUDIT FRAMEWORK AND DETAILED FINDINGS**
- 11.SUGGESTION AND RECOMMENDATIONS
- 12.CONCLUSION







### ACKNOWLEDGEMENT

VARSHASOOKT CONSULTANTS Green Audit Team thanks the management of THADOMAL SHAHANI ENGINEERING COLLEGE for assigning this important work of Green Audit. Our special thanks are to:

- Honorable Principal G.T. Thampi.
- Teaching & Supporting Staff of Collage for giving us necessary inputs to carry out this very vital
  exercise of Environmental Audit. We are also thankful to other staff members who were
  actively involved while collecting the data and conducting field measurements.

The Green audit conducted by the THADOMAL SHAHANI ENGINEERING COLLEGE is an internal audit that aims towards looking after a healthy environment. Though nascent, the initiative is taken up to foster the concept of environmental sustainability. Sincere thanks to all for providing us necessary amenities and co-operation during the audit that helped in making the audit a success.







# **GREEN AUDIT**

## **CERTIFICATE**

This is to certify that a "Green Audit" for Thadomal Shahani College of Engineering, Linking Rd, TPS III, Bandra West, Mumbai, Maharashtra 400050, has been conducted in March 2021 to assess the green initiatives planning and efforts implemented in the college campus like Green Campus Management. Carbon Footprint, plantations, waste management and rainwater harvesting, conservation of energy. This green audit is also aimed to assess impact of green initiatives for maintenance of eco-friendly campus.

Place: Bandra

Date: 12th March 2021

Ms. Chitralekha Vaidya

(Lead Auditor)







## 1. EXECUTIVE SUMMARY

The rapid urbanization and economic development at local, regional and global level has led to several environmental and ecological crises. On this background it becomes essential to adopt the systemof the Green Campus for the institute which will lead for sustainable development.

The purpose of the audit was to ensure that the practices followed in the campus are in accordance with the Green Policy adopted by the institution. The methodology included: preparation and filling up of questionnaire, physical inspection of the campus, observation and review of the documentation, interviewing key persons and data analysis, measurements and recommendations. It works on the several facets of 'Green Campus' including Water Conservation, Tree Plantation, Waste Management, Paperless Work, Alternative Energy and Mapping of Biodiversity. With this background, the specific objectives of the audit were to evaluate the adequacy of the management control framework of environment sustainability as well as the degree to which the Departments are in compliance with the applicable regulations, policies and standards. It can make a tremendous impact on student health and learning Institute operational costs and the environment. The criteria, methods and recommendations used in the audit were based on the identified risks.







## 2. INTRODUCTION

Green Audit is a process of systematic identification, quantification, recording, reporting and analysis of components of environmental diversity of various establishments. It aims to analyze environmental practices within and outside of the concerned sites, which will have an impact on the eco-friendly ambience. Green audit can be a useful tool for an Institute to determinehow and where they are using the most energy or water or resources; the Institute can then consider how to implement changes and make savings. It can also be used to determine the typeand volume of waste, which can be used for a recycling project or to improve waste minimization plan. It can create health consciousness and promote environmental awareness, values and ethics. It provides staff and students better understanding of green impact on campus. If self- enquiry is a natural and necessary outgrowth of a quality education, it could also be stated that institutional self-enquiry is a natural and necessary outgrowth of a quality educational institution. Thus, it is imperative that the Institute evaluate its own contributions toward a sustainable future. As environmental sustainability is becoming an increasingly important issue for the nation, the role of higher educational institutions in relation to environmental sustainability is more prevalent.

- 1. Green Audit is a systematic approach.
- 2. Audit is conducted objectively.
- 3. Auditor obtains and evaluates evidence.
- 4. Evidence obtained and evaluated by the auditor concerns assertions about economic actions and events.
- 5. Auditor ascertains the degree of correspondence between assertions and established criteria.
- 6. Goal, or objective, of the audit is communicating the results to interested users.

#### About the college

Thadomal Shahani Engineering College (TSEC) is an engineering college in Mumbai, India. Founded in 1983, it is the first and the oldest private engineering institute affiliated with the University of Mumbai. TSEC was founded by the Hyderabad (Sind) National Collegiate Board (HSNC Board) in the year 1983. It is named after one of Mumbai's most respected philanthropists, Dada Kishinchand T. Shahani's father, Thadomal Shahani. The HSNC board is a charitable trust established by the Sindhi Community in 1922. With active support and encouragement from one of Bombay's influential Barrister H.G. Advani, the HSNC Board came into existence in 1949 at Bandra, Mumbai.







The Late Barrister became the Founder-President, whereas Vidyasagar Principal K.M. Kundnani was the Founder-Secretary and Founder-Principal of the first college started by the board was R.D National College. Since then the Board has been offering unique pre-degree study, undergraduate and post graduate degrees in a wide range of programs. It has produced professionals' par excellence in the fields of Arts, Science, Commerce, Management, Education, Law, Engineering, Technology and Para-Medical

#### Vision

- Contributing to evolving supply chain of human capital for National Economy
- Creating entrepreneurs and 'game changers' to support heightened level of economic activities underpinning ever increasing human aspiration
- Helping the Nation evolve as a total solution provider
- Value and wealth creation for the mankind

#### Mission

- Product and processes innovation
- Leveraging human cognitive and behavioural science for creating instructional content
- Pervasive and ubiquitous Information Communication Technologies for customized content for learning
- Acknowledge and facilitate various learning styles and learning abilities
- Migrating from teaching paradigm to learning paradigm
- Every day discourse shall inculcate research culture and further the cause of societal advancement
- Understand various markets and cultures
- Collaborative learning and emotional integrity
- Sensitizing about opportunities in Energy, Education, Environment and Health care sectors
- Extensively promoting computer aided design, analysis and manufacturing procedures







- Theoretical rigor to develop conceptual clarity
- Modelling and design of experiments to inculcate culture of investigation
- Helping foot print on Project management and collaborative human endeavour
- Interdisciplinary studies and exposure to functional areas

#### Other Facilities

- Library
- Seminar Hall
- Laboratory
- Canteen
- Wi-fi and 3G communication enabled campus
- Spacious student lounge

No. of Buildings	2
No. of Floors in Building-1	11
No. of Floors in Building-2	6

## 3. OBJECTIVE OF THE STUDY

The main objectives of the green audit are to promote the environment management and conservation in the Institute campus. The purpose of the audit is to identify. Quantify, describe and prioritize framework of environment sustainability in compliance with the applicable regulations, policies and standards.

Green Audit can be defined as systematic identification, quantification, recording, reporting and analysis of components of environmental diversity. The "Green Audit" aims to analyze environmental practices within the Institute campus, which will have an impact on the eco-friendly ambience. It was initiated with the motive of inspecting the work conducted within the organizations whose exercises cancause risk to the health of inhabitants and the environment.







Later on, it is implemented as a measure to enhance a healthy environment to almost all the organizations. Through Green Audit, one gets a direction as how to improve the condition of environment and there are various factors that have determined the growth of carrying out Green Audit. Green audit is assigned to the criteria 7 of NAAC, National Assessment and Accreditation Council which is a self-governing organization of India which declares the institutions as Grade A, B or C according to the scores assigned during the accreditation.

#### The main objectives of carrying out green audit are

To introduce and make aware students to real concern of environment and its sustainability.

To secure the environment and cut down the threats posed to human health by analyzing the pattern and extent of resource use on the campus.

To establish a baseline data to assess future sustainability by avoiding the interruptions in environment that are more difficult to handle and their corrections requires high cost.

To bring out a present status report on environmental compliance.







## 4. METHODOLOGY

In order to perform green audit, the methodology included different techniques such as physicalinspection of the campuses, observation and review of the documentation, interviewing key persons and data analysis, measurements and recommendations. The study covered the following area to summarize the present status of environment management in the campuses

Water quality assessment, consumption and management.

Air quality assessment and management.

Electricity consumption and management

Waste management

Biodiversity status of the campus

The Green Audit taken up by the Thadomal Engineering College had been divided into three stages







## 5. THE PRE-AUDIT STAGE

In the pre-audit stage, meetings provide an opportunity to support the capacity and objectives of the audit and enable discussions on the feasibility associated with the audit. The meeting provides the first opportunity to meet the audit and deal with several practical knowledge and concerns. The meetingprovided the chance to gather information that the audit team can study before arriving on the site. The audit procedure and audit plan were handed over at this meeting and discussed in advance of the audit itself. In Thadomal Shahani Engineering College, the planning of audit processes was discussed in the pre-audit meeting. Audit team was also selected in this meeting with the help of staff and the Institute management. The audit protocol and audit plan were handed over at this meeting and discussed in advance of the audit itself. The Management of the Institute has shown the commitment towards the green auditing during the pre-audit meeting. They were ready to encourage all green activities. It was decided to promote all activities that are environment friendly such as awareness programs on the environment, campus planting more trees on the campus, etc., after the green auditing. The management of the Institute was willing toformulate policies based on green auditing report.

## 6. THE AUDIT STAGE

The Audit Stage encompasses of the team selection and the field works performed. Looking after the unique structure, location and ambiance of the Institute, the Green Audit Team focused on Material Issues pertaining to Institute which have the highest influence on the Green Attributes of the Institute. The Audit stage also focused on the Methodology adopted. Checklist approach is adopted for transparent evaluation of the topics and increase readability for independent reader. Discussions were made with the college management regarding their policies on environmental management. Future also discussed, the purpose of plans of the college were the green audit was to ensure that the practices followed in the campus in accordance with the Green Policy adopted by the institution.

College and its premises were visited and analysed by the auditor to gather information. Campus trees were counted and identified. Canteen, library, office rooms and parking grounds were also visited to collect data. Number and type of vehicles used by the stakeholders were observed.







## 7. THE POST AUDIT STAGE

The base of any green audit is that its findings are supported by documents and verifiable information. The audit process seeks, on a sampled basis, to track past actions, activities, events, and procedures to ensure that they are carried out according to systems requirements and in the correct manner. Green audits form a part of a process. Although they are individual events, the real value of green audits is the fact that they are carried out, at defined intervals, and their results can illustrate improvement or change over time. Although green audits are carried out using policies, procedures, documented systems and objectives as a test, there is always an element of subjectivity in an audit. The post-audit stage ensures formulation of Draft findings and sent to management response. Since the audit is done internally, it was important to ensure management approval for the draft. After getting draft approval, the audit team went for final report formulation.







## 8. AUDIT GOALS OF THE INSTITUTE

The Institute, has created green monitoring team that aimed at performing the green audit of theinstitution. The main objectives of the audit are

More efficient resource management. To provide basis for improved sustainability. To create a green campus. To enable waste management through reduction of waste generation, solid- waste and water recycling. Recognize the cost saving methods through waste minimizing and managing. Point out the prevailing and forthcoming complications. Impart environmental education through systematic environmental management approach and Benchmarking for environmental protection.







# 9. AUDIT FRAMEWORK AND DETAILED FINDINGS

The following audit framework is used for conducting Green Audit in 2021. The framework also liststhe findings and observations for every criterion.

Control objective	Control(s)	Audit Observation
WATER     MANAGEMENT	<ul> <li>Repair sources of water leakage, such as dripping taps.</li> </ul>	<ul> <li>Regular checking and maintenance of pipelines are done to control Water wastage.</li> </ul>
	Encourage to decrease excess     water usage.	Though water is used nominal in the Institute, but to ensure a further minimal rate, placards and warnings are not set up in the Institute premise. That must be adopted at every water delivery Point.
	Install water recycling mechanism.	There is no such water recycling mechanism adopted by the college.
	<ul> <li>Minimize wastage of water and use of electricity during water filtration process, if used, such as Aqua guard filter</li> </ul>	Institute has Aqua guard filter on each floor which gives safe drinking water.
	Rainwater Harvesting project execution	Though Rainwater is collected through underground pipelines, it is recharged to ground water, and it is use for garden purpose.
WASTE     MANAGEMENT	Compost, or cause to be composted, all organic	<ul> <li>The Institute has no waste management in college, the municipal collects the waste.</li> <li>Hence, automatic waste composting is strongly</li> </ul>







			recommendation for better waste  Management.
•	Make full use of all recycling facilities	•	Institute does not have any such recycling device to carry on the procedure. Primary segregation is carried out and partly paper, plastic and E waste is sold or shared to local kabadiwalas or few NGOs.
•	Waste, green waste and non-recycled collected from gardens, offices and rooms.	•	Compost plant that ensures proper treatment of all organic wastes.  However, it is absolutely primary processing. Better and scientific  Treatment is expected.
•	Recycle or safely dispose of dry wastes, computers and electrical appliances.	•	Recycle or safely dispose of dry wastes, computers and electrical appliances is done at primary level is done. E waste is not given to any authorized E waste recyclers.
•	Provide sufficient, accessible and well-publicized collection points for recyclable waste, with responsibility for recycling clearly allocated	•	The Institute has set up separate two bins on each floor to ensure proper segregation and collection of the various wastes. The responsibility of recyclable waste is however still not taken up by the Institute
•	Dispose all waste, whether solid or otherwise, in a scientific manner and ensure that it is not released directly to the environment	•	Yes, the Institute is trying to dispose all wastes, whether solid orotherwise, in a scientific manner and ensure that it is not released directly to the environment; however, there is a lot of scope for improvement in current waste handling methods.







#### **GREEN** Encourage the faculties and Encourage the faculties and **CAMPUS** students to plant trees in the students to plant trees in the garden. garden. Existing plantation is not marked properly. However, more plantation can be adopted with more native trees. Establish a Garden in the campus Institute already has well-Maintained garden. • Disposal of the chemical waste There is no as such treatment is given to the laboratories waste generated from the laboratories in generated. a scientific manner Minimize the use of fertilizers and Moderate amounts bioof Pesticides in Institute ground & fertilizers are used in the Institute. garden. **ENERGY** Look in to the possibility of on-site Institute has installed Solar wall **MANAGEMENT** micro-generation of renewable Lights. electricity. Give preference to the most The Institute is using LED lights as much as practicable as well as CFL. energy efficient and environmentally sound appliances available, this includes only using energy-saving light bulbs Ensure that all cleaning products Negligible amounts of washing used by Institute staff have a liquids are used in the Institute and minimal detrimental impact on the all the toilet cleaners are ecoenvironment, i.e. are friendly biodegradable and non-toxic



Fig.1 Solar Wall Lights







## **Green Campus:**

Total number of plants in the campus- 26

## • New Building

Particulars	Quantity
Almond	1
Java Plum	1
Mango	2
Ashoka	1
Goose Berry	1
Chikoo	1
Peepal	1
Curry Patta	1
TOTAL	09

# Old Building

Particulars	Quantity
Almond	2
Peepal	1
Coconut	3
Java Plum	1
Mango	2
Ashoka	8
TOTAL	17







#### **Water Management**

The source of water used in the college are municipal water supply.

Sr.No.	Parameters	Response
1	No of wells	Nil
2	No of water tanks	8
3	Any wastage/why	Nil
4	Water used for gardening	1000 cu.mt.
5	Waste water sources	Canteen, washrooms
6	Rain water harvest available?	Yes
7	Any leaky taps?	Nil
8	Amount of water lost per day	Nil

#### **Waste management**

Waste management is important for an eco-friendly campus. In a college, different types of wastes are generated, its collection and management are very challenging. The following data provide the details of the waste generated and the disposal method adopted by the college.

Types of waste	Particulars	Disposal method
E-Waste	Computers, electrical and electronic parts	Pick up by municipal corporation
Plastic waste	Pen, Refill, Plastic water bottles and other plastic containers, wrappers etc.	Pick up by municipal corporation
Solid wastes	Damaged furniture, paper waste, paper plates	Pick up by municipal corporation
Waste water	Washing, urinals, bathrooms	Municipal sewer line
Food waste	Food waste from canteen	Pick up by municipal corporation








# 10. THADOMAL ENGINEERING COLLEGE LOCATION

## • New Building



## Old Building









#### 11. SUGGESTIONS AND RECOMMENDATIONS

A few recommendations are added to curb the menace of all management using eco-friendly and scientific techniques. This may lead to the prosperous future in context of green campus and thus sustainable environment and community development. It has been shown frequently that the practical suggestions, alternatives, and observations that have resulted from audits have added positive value to management of the campus.

#### CRITERIA WISE RECOMMENDATIONS

#### **Green Campus**

- All trees in the campus should be named scientifically and name should be placed on each tree.
- Not just celebrating environment day but making it a daily habit.
- Beautify the college building with indoor plants.
- Providing funds to the any Nature Club for making campus greener.
- Encouraging students not just through words, but through action for making the campus green.
- Conducting competitions among departments for making students, teaching-non teachingstaffs more interested in making the campus greener.
- In order to increase the carbon credit and greenery of the campus, it is recommended to
  plant more indigenous and Fruit and medicinal plants species inside the campus like Guava,
  Amla, Kaju, Tulsi, Alovera and Ashvagandha.

#### Water management

- The college should arrange awareness programs for water conservation. The campaign should be on proper monitoring of water consumption patterns in the campus and can also conduct water quality monitoring during specific intervals.
- Install display boards to control over exploitation of water.







#### **Energy management**

- The energy audit recommends to avoid the use of more energy consuming electrical appliances and to replace with more environment friendly and energy efficient appliances(for example five stars rated Air conditioner) in the college. The potential of renewable energy sources has to be explored. As the college has a very large roof area for installing solar panels so that it can be effectively used for generating power.
- It is recommended to install the following solar powered appliances in the campus;
- Solar powered water heater and cooker in the college canteen.
- Solar powered street lights and LED display boar.
- Observe a power saving day every year
- Conduct more save energy awareness programs for students and staff.
- Use energy efficient light-emitting diode (LED) bulbs instead of incandescent and CFL bulbs
- Maintain appliances and replace old appliances.
- Use computers and electronic equipment in power saving mode.

#### **Waste management**

- Try to avoid the use of plastic in the campus, and to encourage the use of biodegradable
  materials as alternatives. Ban on single use plastic such as carry bags, food packaging,
  bottles, straws, containers, cups and cutlery. Instead use steel plates. Avoid using paper
  cups and plate too.
- Leaf litter from the campus can be effectively used for aerobic/ vermi composting, so that
  the composted material can also be used as good manure.
- Recycle the paper waste instead of incinerate or burning.
- Practice of waste segregation to be initiated.
- Establish a functional bio gas plant.







#### **Carbon footprint**

- Increase a system of car-pooling among the staff to reduce the number of four wheelers coming to the college.
- Introduce college bus services to the students and staff members.
- Encourage students and staff member to use public transport as possible.
- Establish a more efficient cooking system to save gas.
- College observe "no own vehicle day" every month. The any day of every month must be
  dedicated for it. Teachers and students are not allowed to take their private vehicles on that
  day and are supposed to reach college via public transportation methods. The no own
  vehicle day is widely accepted among students and teachers and is hugely appreciated by
  the community.
- College also can promote car and bike pooling system. Teachers/ students coming from the same area share their vehicles to reach the college. This also reduces the number of private vehicles used in the college campus







## 12. CONCLUSION

The green audit assists in the process of testing performance in the environmental arena and is fast becoming an indispensable aid to decision making in a college. The green audit reports assist in the process of attaining an eco-friendly approach to the sustainable development of the college. A green audit report is a very powerful and valuable communications tool to use when working with various students who need to be convinced that things are running smoothly and systems and procedures are coping with natural changes and modifications that occur. The audit has identified several observations for making the campus premise more environment friendly. The recommendations are also mentioned with observations for campus team to initiate action. The audit team opines that the overall site is maintained well from environmental perspective, certain changes if implemented the college will be benefited by various environmental ways.

#### The audit was conducted to check following aspects

- More efficient resource management.
- Provide basis for improved sustainability.
- Creating a green campus.
- Enable waste management through reduction of waste generation, solid- waste and water recycling
- Recognition of the cost saving methods through waste minimizing and managing.
- Point out the prevailing and forthcoming complications.
- Impart environmental education through systematic environmental management approach and Benchmarking for environmental protection.

Allow targets are fairly achieved in executed green audit report.







# **Amenities at College**






• Entrance of Old Building

 Dustbins in backyard of College, which pick up by BMC



Parking area in the campus



• Fire extinguisher on each Floor









• Two Separate Dustbins on each floor

• Electrical room in the college



• Aqua gaurd filter on each floor



• Library in the college











Fire Hose Box to extinguish fire in the campus



• Planted trees in campus



• Computer Lab



Biotech Laboratory







# **Energy Audit Report**

o f

# THADOMAL SHAHANI ENGINEERING COLLEGE, BANDRA WEST, MUMBAI



# **Prepared**

By

Dr. Santosh D Dalvi BEE Certified Energy Auditor Certification No: CEA- 12141

March 2021



Lokmanya Tilak Jankalyan Shikshan Sansthaa's

## LOKMANYA TILAK COLLEGE OF ENGINEERING

Approved by AICTE vide letter No. F-740-89-295 (E)/RC/94 Dt. 26-07-1994 Affiliated to University of Mumbai & Recognised by Govt. of Maharashtra



Date: 18/03/2021

LTCE/Gen/2021/

# **ENERGY AUDIT COMPLETION CERTIFICATE**

This is to certify that Energy Audit has been carried out in the campus and buildings of Thadomal Shahani Engineering College, Bandra West, Mumbai as per the guidelines laid down in The Energy Conservation Act, 2001, in the month of March 2021.

Name of the Installation	Thadomal Shahani Engineering College, Bandra West, Mumbai- 400050		
Details of Facilities Audited	Laboratories, Classrooms, Library, Seminar halls of New and Old Building		
Date of Energy Audit	15/03/2021		
Name of Certified Energy Auditor	Dr. S D Dalvi		
Certification Number	CEA- 12141		
Validity of the Certificate	14/03/2022		

Dr. S D Dalvi

**Certified Energy Auditor** 

Dr. Vivek Sunnapwar Principal

Sector-4, Koparkhairane, Navi Mumbai, MH -400 709, INDIA. T: +91 22 2754 1005/6, F: +91 22 2754 7793, W: www.ltce.ltjss.net



# Contents

Sr No	Description	Page No
	Executive Summary	4
I	Introduction	5
П	Consumption Pattern	8
Ш	Computers	13
IV	Air Conditioners	14
V	Illumination	19
VI	Ceiling Fans	27
VII	Miscellaneous	30
VIII	Renewable Energy	31

# Executive Summary-Energy Audit

# **Energy Saving Potential**

Sr No	Area & Proposed Action for Energy Efficiency Improvement	Savings Potential	Investment	Payback Period
		Rs/month	Rs	Months
1	Maintaining Power factor to			
	unity and other			
	incentives/discounts	14096	NIL	Immediate
2	Replacing magnetic ballast with			
	electronic ballasts for tube			
	lights and lamps	1581	81200	51
3	Improving & maintaining			
	performance of air conditioners			
	at			
	optimal levels (Sampled)	362	Negligible	Immediate
4	Replacing tube lights (TL) by			
	LED lamps	7714	133600	18
5	Replacing ordinary ceiling fans			
	by energy efficient Fans	3683	985000	23

# Chapter-I

## Introduction

#### 1.1 Background of the study:

The fundamental purpose of the energy audit is not only to identify the potential saving areas but also to establish energy monitoring and control system to reap the gains on sustainable basis. It is with this purpose that Thadomal Shahani Engineering College (TSEC), Bandra (West), Mumbai, Maharashtra, assigned Dr. S D Dalvi, CEA-12141 Energy Auditor to carry out Energy Audit. It was really tough time to carry out study in Covid-19 Pandemic, But the TSEC management made it success.

This energy audit report presents the analysis of the data collected, observations made at the facility and is governed by the objectives, scope of work, methodology etc. discussed in the ensuing paragraphs.

#### Objective:

The basic objectives of the Energy Audit Study are to,

- Identify key result areas for energy saving along with their broad Cost Benefit Analysis.
- Suggest energy monitoring and control mechanism to realize the savings on the sustainable basis.

#### Methodology:

Prior to start of the Audit session, submitted a list of data required along with the execution plan.

Then deputed a team of Project Engineers for this task. The visit was undertaken in the First week of March 2021. The field training was given to the engineers

Page 5 of 31



about data collection. The team was trained about operation and handling of the instruments used in the energy auditing, in Covid-19 Pandemic situation.

The prime objectives of these visits were:

- To hold discussions with Principal, to understand Energy consumption pattern, to get acquainted with the efforts already put in for energy conservation
- To collect historic data regarding energy consumption and maintenance practices.
- To undertake requisite field trials and to make observation.

#### Team:

The team members of the audit study.

- 1. Dr S D Dalvi, Certified Energy Auditor (CEA-12141)
- 2. Mr Swapnil D Mhatre, Project Engineer
- 3. Mr Shubham J Birambole, Project Engineer
- 4. Mr Nikhil C Varsolkar, Project Engineer

#### Instruments

The following instruments were utilized for measurement during the energy audit study.

- 1. Power meter
- 2. Hygro-temperature meter
- 3. Anemometers
- 4. AC power meter
- 5. Lux meter



#### Acknowledgment:

We wish to record our gratitude to the management of TSEC for awarding this assignment. We extend our thanks to the Principal, Dr. G T Thampi for initiating the work. We are also thankful to the maintenance team for extending all possible help and co-operation from their side.

Dr. G. T. Thampi
PRINCIPAL
Thedoned Shahori Engineering Ordings
Basela (n), Marcha-400 (99).

# Chapter-II

# Consumption Pattern

#### 2.1 Brief Description & Consumption data:

#### **Present Scenario:**

- The average monthly consumption is around 9,061 kWh.
- The monthly maximum consumption in AY 2020-21 is observed as 25,617 kWh.
- The calculated cost of power is Rs 10.43/- per kWh in AY 20-21 for LT I (B) electricity meters.

As can be seen the major consumption is of

- Air conditioners
- Ceiling fans
- Computers
- Illumination

The other unaccounted consumptions are of elevators, centrifugal pumps, printers, scanners, ups etc.

#### 2.2 Electricity Bills:

The electricity is supplied through LT connection; TSEC has installed Seven LT I (B) electricity meters. TSEC has installed five LT II (C) electricity meters. This tariff category is applicable for electricity used at Low/Medium voltage in non-residential, non-industrial and/or commercial premises for commercial consumption meant for operating various appliances used for purposes such as

Page 8 of 31



lighting, heating, cooling, cooking, washing/cleaning, entertainment/ leisure and water pumping in.

The statistics of electricity consumption for month of February 2021is tabulated and shown in the graph.

The analysis of LT II (C) electricity meters is shown in table.

Category			LT II (C)			
Meter No		L1003438	L1003439	L1003440	L1004492	L1004495
MF		20	40	80	40	20
consumption	KWH	1111	131	1845	218	1728
Maximum	kWH	568	5470	6057	960	2799
Consumption	KVVП	306	3470	0037	300	2/33
Month and Year		Sep-20	Oct-20	Oct-20	Feb-21	Mar-21
Power factor		0.335	0.894	0.85	0.971	0.428
TOD 9-12 hrs charges	Rs	156.5	7	278	36.5	147
TOD 12-22 hrs	Rs	3	13	98	5	324
charges	1/2	3	13	30	J	324
TOD 22-06 hrs	Rs	<u>3</u>	18	<u>135.75</u>	0	293.25
charges	1/2	2	10	133.73	0	233.23
Prompt Payment	Rs	0	0	0	0	0
Discount	11.5	0	0			0
Digital Payment	Rs	0	0	0	0	0
Discount	11.5	0	0			0
Delayed Payment	Rs	243.35	143.51	495.02	108.31	518.04
Charges	11.5	243.33	145.51	433.02	100.51	310.04
PF	Rs	3639.08	93.74	1546.55	71.59	6762.22
Panalty/Incentives	113	3033.00	33.74	1540.55	71.55	
Energy Charges	Rs	19467.74	11481.11	39601.45	8664.5	41443.31
Bill Amount	Rs	19711.15	11627.69	40100.73	8774.69	41962.66

The analysis of LT I (B) electricity meters are shown in table.

Category		LTI (B)						
Meter No		7735461	7735462	7780668	7602803	7882202	7541328	7881869
consumption	KWH	73	31	98	1339	139	1289	1059
Maximum Consumption	kWH	124	72	563	2239	1416	3218	2131
Month and Year		Feb-20	Jan-20	Jan-20	Feb-20	Feb-20	Jan-20	Jan-20
Prompt Payment Discount	Rs	0	0	0	0	10.47	0	0
Digital Payment	Rs	0	0	0	0	0	0	0

Page 9 of 31



Discount								
Delayed Payment	Do	20	20	No	20	No	20	20
Charges	Rs	na	na	Na	na	Na	na	na
PF	De	Na	na	Na	na	Na	22	22
Panalty/Incentives	Rs	Na	na	Na	na	Na	na	na
Energy Charges	Rs	888.12	332.65	700.62	13427.24	1663.61	12876.58	10995.97
Bill Amount	Rs	897.97	342.43	708.78	13521.97	1663.61	12882.35	11046.99

### 2.3 Energy Saving Analysis:

The observations are as below.

- 1. Power factor penalty of Rs. 11970 per month\* is levied which can be saved and converted into incentives by maintaining power factor near to unity.
- The improvement in power factor also reduces maximum demand and proportionally saves on demand charges. The power factor has been maintained at unity.
- 2. Delayed payment charges of Rs. 1508.23 per month\* may be saved.
- 3. TOD charges of Rs. 1068 and incentives of Rs. 450 are levied in current month.
- 4. The prompt payment discount and digital payment discount are not observed in the electricity bills.

#### 2.4 Important Information from Electricity Distributor:

The electricity distributor of TSEC is Adami Electricity Mumbai Limited. The tariff for LT I (B) meter is shown in the table.

Tariff w.e.f. 1 April, 2021 to 31 March, 2022 (LT | B)

Consumption Slab (kWh)	Fixed Charge / Demand Charge <sup>SS</sup>	Wheeling Charge (Rs/kWh)	Energy Charge (Rs/kWh)
0-100 units	75	1.46	3.05
100-300 units	115	1.46	5.00
301-500 units	115	1.46	6.65
Above 500 units	140	1.46	7.80

Page 10 of 31



The tariff for LT II (C) meter is shown in the table.

Tariff w.e.f. 1 April, 2021 to 31 March, 2022 (LT II C)

Consumption Slab (kWh)	Fixed Charge / Demand Charge	Wheeling Charge (Rs/kWh)	Energy Charge (Rs/kWh)
(A) 0-20 kW	Rs. 405 per month	1.46	5.65
(B) $>$ 20 kW and $\leq$ 50 kW	Rs. 335 per kVA month	1.46	6.05
(C) > 50  kW	Rs. 335 per kVA month	1.46	6.60
<b>TOD</b> Tariffs (in addition	to above base Tariff)		
0600 to 0900 hours			0.00
0900 to 1200 hours			0.50
1200 to 1800 hours			0.00
1800 to 2200 hours			1.00
2200 to 0600 hours			-0.75

#### Power factor incentives

Whenever the average Power Factor is more than 0.95 (lag or lead) and upto 1, an incentive shall be given at the rate of the following percentages of the amount of the monthly electricity bill. The details are shown in the table.

Sl.	Range of Power Factor	Power Factor Level	Incentive
1	0.951 to 0.954	0.95	0.0%
2	0.955 to 0.964	0.96	0.5%
3	0.965 to 0.974	0.97	1.0%
4	0.975 to 0.984	0.98	1.5%
5	0.985 to 0.994	0.99	2.5%
6	0.995 to 1.000	1.00	3.5%

Power factor penalty



Whenever the average PF is less than 0.9 (lag or lead), penal charges shall be levied at the rate of the following percentages of the amount of the monthly electricity bill. The details are shown in the table.

Sl.	Range of Power Factor	Power Factor Level	Penalty
1	0.895 to 0.900	0.90	0.0%
2	0.885 to 0.894	0.89	1.0%
3	0.875 to 0.884	0.88	1.5%
4	0.865 to 0.874	0.87	2.0%
5	0.855 to 0.864	0.86	2.5%
6	0.845 to 0.854	0.85	3.0%
7	0.835 to 0.844	0.84	3.5%
8	0.825 to 0.834	0.83	4.0%
9	0.815 to 0.824	0.82	4.5%
10	0.805 to 0.814	0.81	5.0%

# Chapter-III

# Computers

#### 3.1 Brief Description:

In new building there were 876 computers and in old building 65 computers counted as observed. There were printers and scanners in both the buildings.

#### General Suggestions:

- 1. An efficient power management system may be incorporated to
- a. Switch off the display if not in use.
- b. Put the computer in Sleep mode / switching off the machines, if not used for prolonged period.
- 2. Optimize brightness of the screen.
- 3. Discourage use of screen savers, which has similar power consumption



# Chapter-IV

# Air Conditioning System

#### 4.1 Brief Description:

Air conditioning system is basically provided to maintain comfortable ambience inside the premises by maintaining the temperature (and relative humidity, at times) at appropriate levels. The performance of human being is optimal at the temperature of  $24 \pm 2$  °C and at relative humidity (RH) of  $60 \pm 5\%$ .

The warmer and humid air from the premises is drawn and fed to the Air Conditioning System by a circulating fan. This air is chilled in an evaporator by vaporizing the refrigerant and is distributed throughout the conditioned area. The refrigerant is pressurized by a compressor and subsequently s cooled and condensed by an air cooled condenser. The compressor and condenser are placed in an outdoor unit, located on the external side of the premise. While the circulating fan and evaporator is placed in an indoor unit located inside the premises.

#### 4.2 Performance Evaluation:

The Air Conditioning effect (TR) and specific power consumption can be computed as under

AC Effect (TR) = Air flow rate x Specific gravity of air x (Enthalpy of supply air - Enthalpy of return air) / 3000

Specific Power (kWh/TR) = Power Consumption / AC Effect

Dr. G. T. Thampi PRINCIPAL Tradend Shalled Ergheering College The performance as well as chilling (or Air Conditioning) effect delivered by the air conditioner (represented as TR - Ton of Refrigeration) is computed by measuring

- Air Velocity along with the cross-sectional area of flow to determine flow rate and subsequently mass flow rate.
- Temperature and relative humidity of the air at the inlet of the evaporator coil to determine enthalpy of the air.
- Temperature and relative humidity of the air at the outlet of the evaporator coil to determine enthalpy of the air.
- Power drawn by the air conditioning unit

The chilling effect can be computed as under,

- 1. Flow Rate of Air (kg/hr)
- = Average Air velocity (M/s) x Cross sectional area of the air flow  $(Sq\ M)$  X Specific gravity of air
- 2. Chilling or Air Conditioning Effect (TR)
- = Air flow rate (kg/hr) x Enthalpy difference between the air at inlet and outlet of the evaporator coil (kJ/kg) /  $(4.18 \times 3024)$
- 3. Chilling or Air Conditioning Effect (kW)
- = Air flow rate (kg/hr) x Enthalpy difference between the air at inlet and outlet of the evaporator coil (kJ/kg) / 3600
- = 3.5112 x Chilling Effect (TR)
- 4. Specific Power Consumption (kWh/TR) =

Power consumption (kW) / Air Chilling Effect (TR)

Energy Efficiency Ratio - EER (W of cooling / W of input power)

- = Power consumption (kW) / Air Chilling Effect (kW)
- = 3.5112 / Specific Power consumption (kW/TR)

The data collected only at the sampled and accessible air conditioners, based on structural observations like filter condition, insulation damage etc. and analyzed is tabulated below.

Assuming,

daily operation hours = 5

No of functioning days per year= 200



No of functioning days per month= 22 Average cost of electricity = Rs. 5/kWh

Sr No	LOCATION	Make	TYPE OF A/C Split/window	CAPACITY	POWER kW	Average Velocity MPS	FLOW M³/hr
			TSEC OLD B	UILDING			
1	202	Voltas	Window	1.5	1.71	1.9	465.1
2	203	Blue star	Window	1.5	1.83	1.8	440.6
3	503	Voltas	Split	2	1.88	3.3	950.4
	1		TSEC NEW E	BUILDING	l	l	
4	702	Voltas (2)	Split	2	1.88	1.6	460.8
5	704	Voltas	Split	2	2.85	2.8	806.4
6	802	Voltas	Split	2	2.89	2.6	748.8
7	804	Voltas (2)	Split	2	1.67	1.6	460.8

Sr No	AHU Inle	et		AHU Out	let		AC			
	Temp	RH	Enthalpy	Temp	RH	Enthalpy	Load	SPC	Saving	S
	°C	%	KJ/Kg	°C	%	KJ/Kg	TR	kW/TR	kwh	Rs
	-1	1		TSEC OLD	BUILDIN	NG		•	1	•
1	30.5	70.5	80.72	20.6	72.6	50.65	1.34	1.27	0.4	366
2	29.4	72.2	80.7	20	78	49.04	1.34	1.37	0.8	830
3	28.7	80.5	80.16	24.9	77.7	64.24	1.45	1.29	0.5	469
		•		TSEC NEV	V BUILDI	NG				
4	29.2	69.3	74.67	27.2	68.4	78.96	1.50	1.25	0.3	267
5	26.4	75.3	75.48	18.2	70.9	48.41	2.10	1.36	0.8	798
6	26.5	75.4	75.48	18.2	70.9	48.4	1.95	1.48	1.4	1421
7	27	70.2	67.34	23.5	78.6	59.99	1.35	1.24	0.2	185

Opportunity for Conservation of energy:

Page 16 of 31



### Performance improvement:

The specific power consumption of sampled air conditioning units is higher than the general norm of 1.2 KWH/TR or EER of around 3.0.

The saving potential works out to about 4-6% in the overall consumption of the air conditioners as can be seen from the table above.

The performance of air condition can deteriorate due to

- Lower suction pressure and consequently temperature due to constrains on the evaporator. Generally, 1 °C drop in condensing temperature increases the specific power consumption by 4 to 5%. The constraints on the evaporator include o Clogging of the filters
- o Choking of fins o Damages to the fins
- o Deposition of dust on the external surface of the coil
- o Scaling on the internal or external surface of the coil
- o Depositions inside the coil o Inadequate surface areas due to improper design
- Higher discharge pressure and consequently temperature due to constrains on the condenser. Generally, 1 °C rise in condensing temperature increases the specific power consumption by 3 to 4%. The constraints on the condenser include o Clogging of the fins o Damages to the fins
- o Deposition of dust on the external surface of the coil
- o Scaling on the internal or external surface of the coil
- o Depositions inside the coil o Inadequate surface areas due to improper design
- Deteriorations in the fan (for the indoor as well outdoor unit) performance o Damages to the fan blade o Deposition of dust on the fan surface o Damages to bearings, shaft, etc.
- o Inadequate capacity due to improper design
- Improper location of the outdoor unit
   Direct exposure to sunlight o Inaccessible to maintenance / servicing o
   Restriction on cooling air circulation
- Improper quantity of refrigerant.
- Mechanical constrains on the refrigeration compressor
- O Damages to bearings, shaft, etc.



O Increases in internal clearances

o Drop in volumetric efficiency

The saving potential can be worked out based on specific power consumption of

1.2 kWh/TR (Energy Efficiency Ratio - EER of 2.93); as detailed above.

The expected saving is about 4.4 kWh, considering an operating period of 5 hours a day for 22 days per month.

The savings work out to Rs 4,336/- per year for sampled air conditioners.

There are no capital investment and the payback period shall be attractive.



# Chapter-V

# Illumination

## 5.1 Brief Description:

The detail list of light fitting is as under.

Most fittings in new buildings are fitted with electronic ballast and at very few locations magnetic ballast fittings are used.

The fittings in the old buildings are fitted with magnetic ballast, except few locations, are provided with electronic ballast.



SN	Location	(hrs/ an day/m O <sub>I</sub>	nd nonth)	Length M	Width M	Height M	M2	RI	Ballast Type		ype ittin		Intensity	Power Intensity	Average	Parai	ired neters Desired	Installed Load Efficacy Ratio	Param (ILER = Power Intensity	eters	Energy (-ve ind gain d sola	licates ue to	Saving Potential Diversity Factor 75% & Power @ Rs. 5/kWh
										F	w	R	Watts	W/M2		Lux/	W/M2		W/M2	w	W	%	kWh/M
													TSEC	Old Building									
1	Ground Floor	4	22	7	7	3.5	49	1.00	M	13	13	36	468	9.55	109	11.41	36	32%	4.04	197.8	270.2	58%	17.8
2	H-101	10	30	6.15	4.56	2.77	28.044	0.95	M	2	2	40	80	2.852660106	171.43	60.09	36	167%	6.35	178.1	-98.1	123%	-22.1
3	101	4	22	9	7	3.5	63	1.13	M	5	3	36	108	1.71428	94.28	55.00	40	137%	3.14	198.0	-90.0	-83%	-5.9
4	102	4	22	9	7	3.5	63	1.13	M	5	4	36	144	2.28	130	57.02	40	143%	4.33	273.0	-129.0	-90%	-8.5
5	103	4	22	9	7	3.5	63	1.13	M	6	4	36	144	2.28	125.71	55.14	40	138%	4.19	264.0	-120.0	-83%	-7.9
6	104	4	22	8	6	3.5	48	0.98	M	6	5	36	180	3.75	132.85	35.43	36	98%	4.92	236.2	-56.2	-31%	-3.7
7	105	4	22	9	7	3.5	63	1.13	M	6	6	36	216	3.41	248.57	72.89	40	182%	8.29	522.0	-306.0	- 142%	-20.2
8	106	4	22	8	7	3.5	56	1.07	M	6	6	36	216	3.85	87.14	22.63	40	57%	2.90	162.7	53.3	25%	3.5
9	107	4	22	8	6	3.5	48	0.98	M	5	5	36	180	3.75	109.28	29.14	36	81%	4.05	194.3	-14.3	-8%	-0.9
10	108	4	22	7	6	3.5	42	0.92	M	4	4	36	144	3.42	93.33	27.29	36	76%	3.46	145.2	-1.2	-1%	-0.1
11	109	4	22	7	6	3.5	42	0.92	M	4	4	36	144	3.42	126.67	37.04	36	103%	4.69	197.0	-53.0	-37%	-3.5
12	202	4	22	4	4	3.5	16	0.57	M	4	3	36	108	6.75	105.71	15.66	36	44%	3.92	62.6	45.4	42%	3.0
13	203	4	22	8	5	3.5	40	0.88	M	6	4	36	144	3.6	70	19.44	36	54%	2.59	103.7	40.3	28%	2.7

Page 20 of 31

		- 1				1			1	ı								1 1		1		1 1	
14	204	4	22	8	4	3.5	32	0.76	M	4	4	36	144	4.5	60	13.33	36	37%	2.22	71.1	72.9	51%	4.8
15	206	4	22	10	6	3.5	60	1.07	M	4	3	36	108	1.8	127.14	70.63	40	177%	4.24	254.3	-146.3	- 135%	-9.7
16	207	4	22	10	6	3.5	60	1.07	M	5	4	36	144	2.4	107.14	44.64	40	112%	3.57	214.3	-70.3	-49%	-4.6
17	301	4	22	4	3.5	3.5	14	0.53	M	2	1	36	36	2.5	195.71	78.28	36	217%	7.25	101.5	-65.5	- 182%	-4.3
18	302	4	22	3.5	4	3.5	14	0.53	M	2	2	36	72	5.14	94.28	18.34	36	51%	3.49	48.9	23.1	32%	1.5
19	304	4	22	10	6	3.5	60	1.07	M	6	6	36	216	3.6	11.42	3.17	40	8%	0.38	22.8	193.2	89%	12.7
20	305	4	22	10	4	3.5	40	0.82	M	6	6	36	216	5.4	277.14	51.32	36	143%	10.26	410.6	-194.6	-90%	-12.8
21	306	4	22	8	5	3.5	40	0.88	M	7	5	36	180	4.5	122.85	27.30	36	76%	4.55	182.0	-2.0	-1%	-0.1
22	307	4	22	8	5	3.5	40	0.88	M	5	3	36	108	2.7	134.28	49.73	36	138%	4.97	198.9	-90.9	-84%	-6.0
23	308	4	22	7	6	3.5	42	0.92	M	4	4	36	144	3.4	135.71	39.91	36	111%	5.03	211.1	-67.1	-47%	-4.4
24	401	4	22	5	3	3.5	15	0.54	M	3	3	36	108	7.2	225.71	31.35	36	87%	8.36	125.4	-17.4	-16%	-1.1
25	402	4	22	10	7	3.5	70	1.18	M	3	3	36	108	1.54	64.28	41.74	40	104%	2.14	150.0	-42.0	-39%	-2.8
26	408	4	22	7	6	3.5	42	0.92	M	4	4	36	144	3.42	172.85	50.54	36	140%	6.40	268.9	-124.9	-87%	-8.2
27	409	4	22	1.5	1.5	3.5	2.25	0.21	M	1	1	36	36	16	225	14.06	36	39%	8.33	18.8	17.3	48%	1.1
28	501	4	22	4	3.5	3.5	14	0.53	M	2	2	36	72	5.14	62.85	12.23	36	34%	2.33	32.6	39.4	55%	2.6
29	502	4	22	3.5	4	3.5	14	0.53	M	2	2	36	72	5.14	62.85	12.23	36	34%	2.33	32.6	39.4	55%	2.6
30	503	4	22	12	5	3.5	50	1.01	M	8	7	36	252	5.04	63.85	12.67	40	32%	2.13	106.4	145.6	58%	9.6
31	504	4	22	15	15	3.5	225	2.14	M	24	14	36	504	2.24	86.42	38.58	46	84%	2.50	563.6	-59.6	-12%	-3.9
32	505	4	22	12	5	3.5	60	1.01	M	6	6	36	216	3.6	202.85	56.35	40	141%	6.76	405.7	-189.7	-88%	-12.5

1	1	1	1	1	1		1	İ				1				I	ı	1	ı		1	
506	4	22	12	5	3.5	60	1.01	M	7	7	36	252	4.2	471.42	112.24	40	281%	15.71	942.8	-690.8	- 274%	-45.6
507	4	22	7	6	3.5	42	0.92	M	4	4	36	144	3.42	407.14	119.05	36	331%	15.08	633.3	-489.3	340%	-32.3
509	4	22	1.5	1.5	3.5	14	0.21	M	1	0	36	36	3.42	407.14	119.05	36	331%	15.08	211.1	-175.1	- 486%	-11.6
601	4	22	3	3	3.5	9	0.43	M	2	2	36	-72	3.42	683.33	199.80	36	555%	25.31	227.8	-299.8	416%	-19.8
602	4	22	12	4.5	3.5	54	0.94	M	8	8	36	288	5.3	77.57	14.64	36	41%	2.87	155.1	132.9	46%	8.8
603	4	22	7	4	3.5	28	0.73	M	8	7	36	252	9	302.71	33.63	36	93%	11.21	313.9	-61.9	-25%	-4.1
604	4	22	7	8	3.5	56	1.07	M	12	12	36	432	7.7	252.85	32.84	40	82%	8.43	472.0	-40.0	-9%	-2.6
605	4	22	7.5	4.5	3.5	29	0.80	M	7	7	36	252	8.68	86.42	9.96	36	28%	3.20	92.8	159.2	63%	10.5
606	4	22	7.5	4.5	3.5	29	0.80	M	7	7	36	252	8.68	324.28	37.36	36	104%	12.01	348.3	-96.3	-38%	-6.4
608	4	22	4	5	3.5	20	0.63	M	6	6	36	216	10.8	174.28	16.14	36	45%	6.45	129.1	86.9	40%	5.7
												TSEC	New Building									
OFFICE	6	22	6	6	4.5	36	0.67	E	1	1	22	22	0.61	90	147.54	36	410%	3.33	120.0	-98.0	- 445%	-9.7
TPO Room	4		6	6	4.5				3	3	22		0.54	140	259 26	36	720%	5.19	186.7	-120.7	- 183%	-8.0
201	6		8	7	4.5								3.53	358			282%	13.26	742.5	-544.5	- 275%	-53.9
202	6	22	8	7	4.5	56	0.83	E	12				4.5	306	68.00	36	189%	11.33	634.7	-382.7	- 152%	-37.9
203	6	22	8	7	4.5	56	0.83	E	20	10	36	360	6.42	175	27.26	36	76%	6.48	363.0	-3.0	-1%	-0.3
301	6	22	8	7	4.5				9	9	36	324	5.78	125	21.63	36	60%	4.63	259.3	64.7	20%	6.4
302	6	22	8	7	4.5	56	0.83	E	8	8	22	176	3.14	115	36.62	36	102%	4.26	238.5	-62.5	-36%	-6.2
306	6	22	8	7	4.5	56	0.83	LED	9	9	22	198	3.53	117	33.14	36	92%	4.33	242.7	-44.7	-23%	-4.4
Ī	507 509 601 602 603 604 605 606 608  DFFICE PO Room 201 202 203 301 302	507 4 509 4 601 4 602 4 603 4 604 4 605 4 606 4 608 4  DFFICE 6 FPO Room 4 201 6 202 6 203 6 301 6 302 6	507 4 22 509 4 22 601 4 22 602 4 22 603 4 22 604 4 22 605 4 22 606 4 22 608 4 22 DFFICE 6 22 PO Room 4 22 201 6 22 202 6 22 203 6 22 301 6 22 302 6 22	507	507         4         22         7         6           509         4         22         1.5         1.5           601         4         22         3         3           602         4         22         12         4.5           603         4         22         7         4           604         4         22         7         8           605         4         22         7.5         4.5           606         4         22         7.5         4.5           608         4         22         4         5           OFFICE         6         22         6         6           PO         6         22         8         7           201         6         22         8         7           202         6         22         8         7           301         6         22         8         7           302         6         22         8         7	507         4         22         7         6         3.5           509         4         22         1.5         1.5         3.5           601         4         22         3         3         3.5           602         4         22         12         4.5         3.5           603         4         22         7         4         3.5           604         4         22         7         8         3.5           605         4         22         7.5         4.5         3.5           606         4         22         7.5         4.5         3.5           608         4         22         7.5         4.5         3.5           OFFICE         6         22         6         6         4.5           PO         7         7         4.5         3.5           201         6         22         8         7         4.5           202         6         22         8         7         4.5           203         6         22         8         7         4.5           301         6         22         8         7	507         4         22         7         6         3.5         42           509         4         22         1.5         1.5         3.5         14           601         4         22         3         3         3.5         9           602         4         22         12         4.5         3.5         54           603         4         22         7         4         3.5         28           604         4         22         7         8         3.5         56           605         4         22         7.5         4.5         3.5         29           606         4         22         7.5         4.5         3.5         29           608         4         22         7.5         4.5         3.5         29           608         4         22         6         6         4.5         36           PO         7         8         7         4.5         36           201         6         22         8         7         4.5         56           202         6         22         8         7         4.5         56	507         4         22         7         6         3.5         42         0.92           509         4         22         1.5         1.5         3.5         14         0.21           601         4         22         3         3         3.5         9         0.43           602         4         22         12         4.5         3.5         54         0.94           603         4         22         7         4         3.5         28         0.73           604         4         22         7         8         3.5         56         1.07           605         4         22         7.5         4.5         3.5         29         0.80           606         4         22         7.5         4.5         3.5         29         0.80           608         4         22         7.5         4.5         3.5         29         0.80           OFFICE         6         22         6         6         4.5         36         0.67           PO         80om         4         22         6         6         4.5         36         0.67           2	507         4         22         7         6         3.5         42         0.92         M           509         4         22         1.5         1.5         3.5         14         0.21         M           601         4         22         3         3         3.5         9         0.43         M           602         4         22         12         4.5         3.5         54         0.94         M           603         4         22         7         4         3.5         28         0.73         M           604         4         22         7         8         3.5         56         1.07         M           605         4         22         7.5         4.5         3.5         29         0.80         M           606         4         22         7.5         4.5         3.5         29         0.80         M           OFFICE         6         22         6         6         4.5         36         0.67         M           OFFICE         6         22         8         7         4.5         56         0.83         E           201	507         4         22         7         6         3.5         42         0.92         M         4           509         4         22         1.5         1.5         3.5         14         0.21         M         1           601         4         22         3         3         3.5         9         0.43         M         2           602         4         22         12         4.5         3.5         54         0.94         M         8           603         4         22         7         4         3.5         28         0.73         M         8           604         4         22         7         8         3.5         56         1.07         M         12           605         4         22         7.5         4.5         3.5         29         0.80         M         7           606         4         22         7.5         4.5         3.5         29         0.80         M         7           608         4         22         4         5         3.5         29         0.80         M         6           PO         3	507         4         22         7         6         3.5         42         0.92         M         4         4           509         4         22         1.5         1.5         3.5         14         0.21         M         1         0           601         4         22         3         3         3.5         9         0.43         M         2         2           602         4         22         12         4.5         3.5         54         0.94         M         8         8           603         4         22         7         4         3.5         28         0.73         M         8         7           604         4         22         7         8         3.5         56         1.07         M         12         12           605         4         22         7.5         4.5         3.5         29         0.80         M         7         7           606         4         22         7.5         4.5         3.5         29         0.80         M         7         7           608         4         22         6         6         4.5	507         4         22         7         6         3.5         42         0.92         M         4         4         36           509         4         22         1.5         1.5         3.5         14         0.21         M         1         0         36           601         4         22         3         3         3.5         9         0.43         M         2         2         36           602         4         22         12         4.5         3.5         54         0.94         M         8         8         36           603         4         22         7         4         3.5         28         0.73         M         8         7         36           604         4         22         7         8         3.5         56         1.07         M         12         12         36           605         4         22         7.5         4.5         3.5         29         0.80         M         7         7         36           606         4         22         7.5         4.5         3.5         29         0.80         M         7         7	507         4         22         7         6         3.5         42         0.92         M         4         4         36         144           509         4         22         1.5         1.5         3.5         14         0.21         M         1         0         36         36           601         4         22         3         3         3.5         9         0.43         M         2         2         36         -72           602         4         22         12         4.5         3.5         54         0.94         M         8         8         36         288           603         4         22         7         4         3.5         28         0.73         M         8         7         36         252           604         4         22         7         8         3.5         56         1.07         M         12         12         36         432           605         4         22         7.5         4.5         3.5         29         0.80         M         7         7         36         252           608         4         22         4	507         4         22         7         6         3.5         42         0.92         M         4         4 36         144         3.42           509         4         22         1.5         1.5         3.5         14 0.21         M         1         0 36         36         3.42           601         4         22         3         3         3.5         9 0.43         M         2         2 36         -72         3.42           602         4         22         12         4.5         3.5         54 0.94         M         8         8 36         288         5.3           603         4         22         7         4         3.5         28 0.73         M         8         7 36         252         9           604         4         22         7         8         3.5         56 1.07         M         12 12 36         432         7.7           605         4         22         7.5         4.5         3.5         29 0.80         M         7         7 36         252         8.68           608         4         22         7.5         4.5         3.5         29 0.80         M	507         4         22         7         6         3.5         42         0.92         M         4         4         3.6         144         3.42         407.14           509         4         22         1.5         1.5         3.5         14         0.21         M         1         0         36         36         3.42         407.14           601         4         22         3         3         3.5         9         0.43         M         2         2         36         -72         3.42         683.33           602         4         22         12         4.5         3.5         54         0.94         M         8         8         36         288         5.3         77.57           603         4         22         7         4         3.5         28         0.73         M         8         7         36         252         9         302.71           604         4         22         7.5         4.5         3.5         29         0.80         M         7         7         36         252         8.68         86.42           605         4         22         7.5	507         4         22         7         6         3.5         42         0.92         M         4         4         3.6         144         3.42         407.14         119.05           509         4         22         1.5         1.5         3.5         14         0.21         M         1         0         36         36         3.42         407.14         119.05           601         4         22         3         3         3.5         9         0.43         M         2         2         36         -72         3.42         683.33         199.80           602         4         22         12         4.5         3.5         54         0.94         M         8         8         36         288         5.3         77.57         14.64           603         4         22         7         4         3.5         28         0.73         M         8         7         36         252         9         302.71         33.63           604         4         22         7.5         4.5         3.5         29         0.80         M         7         7         36         252         8.68 <t< td=""><td>507         4         22         7         6         3.5         42         0.92         M         4         4         3.6         144         3.42         407.14         119.05         36           509         4         22         1.5         1.5         1.5         3.5         14         0.21         M         1         0.36         36         3.42         407.14         119.05         36           601         4         22         3         3         3.5         9         0.43         M         2         2         36         -72         3.42         683.33         199.80         36           602         4         22         12         4.5         3.5         54         0.94         M         8         8         36         288         5.3         77.57         14.64         36           603         4         22         7         4         3.5         28         0.73         M         8         7         36         252         9         302.71         33.63         36           604         4         22         7.5         4.5         3.5         29         0.80         M</td><td>506         4         22         12         5         3.5         60         1.01         M         7         7         36         252         4.2         47.142         112.24         40           507         4         22         7         6         3.5         42         0.92         M         4         4         3.6         144         3.42         407.14         119.05         36         331%           509         4         22         1.5         1.5         3.5         14         0.21         M         1         0         36         3.6         3.42         407.14         119.05         36         331%           601         4         22         12         4.5         3.5         54         0.94         M         8         8         36         288         5.3         77.57         14.64         36         41%           603         4         22         7         4         3.5         28         0.73         M         8         7         36         252         9         302.71         33.63         36         93%           604         4         22         7.5         4.5</td><td>Sof 4 22 12 5 3.5 60 1.01 M 7 7 7 36 252 4.2 471.42 112.24 40 15.08  Sof 4 22 7 6 3.5 42 0.92 M 4 4 4 36 144 3.42 407.14 119.05 36 331% 15.08  Sof 4 22 1.5 1.5 3.5 14 0.21 M 1 0 36 36 36 3.42 407.14 119.05 36 331% 15.08  Gof 4 22 12 4.5 3.5 54 0.94 M 8 8 8 36 288 5.3 77.57 14.64 36 41% 2.87  Gof 4 22 7 4 3.5 28 0.73 M 8 7 36 252 9 302.71 33.63 36 93% 11.21  Gof 4 22 7 8 3.5 56 1.07 M 12 12 36 432 7.7 252.85 32.84 40 82% 8.43  Gof 4 22 7.5 4.5 3.5 29 0.80 M 7 7 7 36 252 8.68 86.42 9.96 36 28% 3.20  Gof 6 6 4 22 7.5 4.5 3.5 20 0.63 M 6 6 36 216 10.8 174.28 16.14 36 45% 6.45  FPO ROOM 4 22 6 6 6 4.5 36 0.67 E 1 1 22 22 0.61 90 147.54 36 410% 12.01  GOF 6 22 8 7 4.5 56 0.83 E 1 2 7 36 252 4.5 3.6 36 68.00 36 189% 11.33  203 6 22 8 7 4.5 56 0.83 E 12 7 36 324 5.78 125 21.63 36 60% 4.63  301 6 22 8 7 4.5 56 0.83 E 9 9 3 6 324 5.78 125 21.63 36 60% 4.63  302 6 22 8 7 4.5 56 0.83 E 9 9 3 6 324 5.78 125 21.63 36 60% 4.63</td><td>Sof 4 22 12 5 3.5 60 1.0 M 7 7 36 252 4.2 47.14 119.05 36 331% 15.08 633.3    Sof 4 22 7 6 3.5 42 0.92 M 4 4 36 144 3.42 407.14 119.05 36 331% 15.08 633.3    Sof 4 22 1.5 1.5 3.5 14 0.21 M 1 0 36 36 36 3.42 407.14 119.05 36 36 331% 15.08 211.1    Sof 4 22 3 3 3 3.5 9 0.43 M 2 2 36 -72 3.44 683.33 199.80 36 555% 25.31 227.8    Sof 4 22 12 4.5 3.5 54 0.94 M 8 8 8 36 288 5.3 77.57 14.64 36 41% 2.87 155.1    Sof 4 22 7 7 4 3.5 28 0.73 M 8 7 36 252 9 302.71 33.63 36 93% 11.21 313.9    Sof 4 22 7 8 3.5 56 1.07 M 12 12 36 432 7.7 252.85 32.84 40 82% 8.43 472.0    Sof 4 22 7 7 8 3.5 29 0.80 M 7 7 36 252 8.68 86.42 9.96 36 28% 3.20 92.8    Sof 4 2 2 7 7 4 5 3.5 29 0.80 M 7 7 36 252 8.68 86.42 9.96 36 28% 3.20 92.8    Sof 4 2 2 7 7 8 3.5 50 0.63 M 6 6 36 216 10.8 174.28 16.14 36 45% 6.45 129.1    Sof 5 6 6 8 4 22 7 7 5 4.5 3.5 20 0.63 M 6 6 36 216 10.8 174.28 16.14 36 45% 6.45 129.1    Sof 5 6 6 8 4 22 8 7 4.5 56 0.83 E 12 7 36 252 4.5 306 68.00 36 189% 11.33 634.7    Sof 6 6 2 2 8 7 4.5 56 0.83 E 12 7 36 252 4.5 306 68.00 36 189% 11.33 634.7    Sof 6 2 2 8 7 4.5 56 0.83 E 12 7 36 252 4.5 306 68.00 36 189% 11.33 634.7    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 324 5.78 125 21.63 36 60% 4.63 259 38 30 30 6 22 8 8 7 4.5 56 0.83 E 20 10 36 324 5.78 125 21.63 36 60% 4.63 2</td><td>Sol 4 22 12 5 3.5 60 1.01 M 7 7 36 252 4.2 471.4 112.4 40</td><td>Sol 4 22 12 5 3.5 60 1.0 M 7 7 736 252 4.2 471.42 112.24 40</td></t<>	507         4         22         7         6         3.5         42         0.92         M         4         4         3.6         144         3.42         407.14         119.05         36           509         4         22         1.5         1.5         1.5         3.5         14         0.21         M         1         0.36         36         3.42         407.14         119.05         36           601         4         22         3         3         3.5         9         0.43         M         2         2         36         -72         3.42         683.33         199.80         36           602         4         22         12         4.5         3.5         54         0.94         M         8         8         36         288         5.3         77.57         14.64         36           603         4         22         7         4         3.5         28         0.73         M         8         7         36         252         9         302.71         33.63         36           604         4         22         7.5         4.5         3.5         29         0.80         M	506         4         22         12         5         3.5         60         1.01         M         7         7         36         252         4.2         47.142         112.24         40           507         4         22         7         6         3.5         42         0.92         M         4         4         3.6         144         3.42         407.14         119.05         36         331%           509         4         22         1.5         1.5         3.5         14         0.21         M         1         0         36         3.6         3.42         407.14         119.05         36         331%           601         4         22         12         4.5         3.5         54         0.94         M         8         8         36         288         5.3         77.57         14.64         36         41%           603         4         22         7         4         3.5         28         0.73         M         8         7         36         252         9         302.71         33.63         36         93%           604         4         22         7.5         4.5	Sof 4 22 12 5 3.5 60 1.01 M 7 7 7 36 252 4.2 471.42 112.24 40 15.08  Sof 4 22 7 6 3.5 42 0.92 M 4 4 4 36 144 3.42 407.14 119.05 36 331% 15.08  Sof 4 22 1.5 1.5 3.5 14 0.21 M 1 0 36 36 36 3.42 407.14 119.05 36 331% 15.08  Gof 4 22 12 4.5 3.5 54 0.94 M 8 8 8 36 288 5.3 77.57 14.64 36 41% 2.87  Gof 4 22 7 4 3.5 28 0.73 M 8 7 36 252 9 302.71 33.63 36 93% 11.21  Gof 4 22 7 8 3.5 56 1.07 M 12 12 36 432 7.7 252.85 32.84 40 82% 8.43  Gof 4 22 7.5 4.5 3.5 29 0.80 M 7 7 7 36 252 8.68 86.42 9.96 36 28% 3.20  Gof 6 6 4 22 7.5 4.5 3.5 20 0.63 M 6 6 36 216 10.8 174.28 16.14 36 45% 6.45  FPO ROOM 4 22 6 6 6 4.5 36 0.67 E 1 1 22 22 0.61 90 147.54 36 410% 12.01  GOF 6 22 8 7 4.5 56 0.83 E 1 2 7 36 252 4.5 3.6 36 68.00 36 189% 11.33  203 6 22 8 7 4.5 56 0.83 E 12 7 36 324 5.78 125 21.63 36 60% 4.63  301 6 22 8 7 4.5 56 0.83 E 9 9 3 6 324 5.78 125 21.63 36 60% 4.63  302 6 22 8 7 4.5 56 0.83 E 9 9 3 6 324 5.78 125 21.63 36 60% 4.63	Sof 4 22 12 5 3.5 60 1.0 M 7 7 36 252 4.2 47.14 119.05 36 331% 15.08 633.3    Sof 4 22 7 6 3.5 42 0.92 M 4 4 36 144 3.42 407.14 119.05 36 331% 15.08 633.3    Sof 4 22 1.5 1.5 3.5 14 0.21 M 1 0 36 36 36 3.42 407.14 119.05 36 36 331% 15.08 211.1    Sof 4 22 3 3 3 3.5 9 0.43 M 2 2 36 -72 3.44 683.33 199.80 36 555% 25.31 227.8    Sof 4 22 12 4.5 3.5 54 0.94 M 8 8 8 36 288 5.3 77.57 14.64 36 41% 2.87 155.1    Sof 4 22 7 7 4 3.5 28 0.73 M 8 7 36 252 9 302.71 33.63 36 93% 11.21 313.9    Sof 4 22 7 8 3.5 56 1.07 M 12 12 36 432 7.7 252.85 32.84 40 82% 8.43 472.0    Sof 4 22 7 7 8 3.5 29 0.80 M 7 7 36 252 8.68 86.42 9.96 36 28% 3.20 92.8    Sof 4 2 2 7 7 4 5 3.5 29 0.80 M 7 7 36 252 8.68 86.42 9.96 36 28% 3.20 92.8    Sof 4 2 2 7 7 8 3.5 50 0.63 M 6 6 36 216 10.8 174.28 16.14 36 45% 6.45 129.1    Sof 5 6 6 8 4 22 7 7 5 4.5 3.5 20 0.63 M 6 6 36 216 10.8 174.28 16.14 36 45% 6.45 129.1    Sof 5 6 6 8 4 22 8 7 4.5 56 0.83 E 12 7 36 252 4.5 306 68.00 36 189% 11.33 634.7    Sof 6 6 2 2 8 7 4.5 56 0.83 E 12 7 36 252 4.5 306 68.00 36 189% 11.33 634.7    Sof 6 2 2 8 7 4.5 56 0.83 E 12 7 36 252 4.5 306 68.00 36 189% 11.33 634.7    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 360 6.42 175 27.26 36 76% 6.48 363.0    Sof 6 2 2 8 7 4.5 56 0.83 E 20 10 36 324 5.78 125 21.63 36 60% 4.63 259 38 30 30 6 22 8 8 7 4.5 56 0.83 E 20 10 36 324 5.78 125 21.63 36 60% 4.63 2	Sol 4 22 12 5 3.5 60 1.01 M 7 7 36 252 4.2 471.4 112.4 40	Sol 4 22 12 5 3.5 60 1.0 M 7 7 736 252 4.2 471.42 112.24 40

Page 22 of 31

51	401	6	22	12	7	4.5	84	0.98	LED	44	44	22	968	11.52	255	22.14	36	61%	9.44	793.3	174.7	18%	17.3
52	403	6	22	8	7	4.5	56	0.83	E	9	9	36	324	5.78	170	29.41	36	82%	6.30	352.6	-28.6	-9%	-2.8
53	405	6	22	8	6	4.5	48	0.76	LED	8	8	22	176	3.66	175	47.81	36	133%	6.48	311.1	-135.1	-77%	-13.4
54	502	6	22	8	7	4.5	56	0.83	E	22	21	36	792	14.14	408	28.85	36	80%	15.11	846.2	-54.2	-7%	-5.4
55	503	6	22	8	7	4.5	56	0.83	E	16	8	36	288	5.14	173	33.66	36	93%	6.41	358.8	-70.8	-25%	-7.0
56	504	6	22	8	7	4.5	56	0.83	E	16	8	36	288	5.14	283	55.06	36	153%	10.48	587.0	-299.0	- 104%	-29.6
57	505	6	22	8	7	4.5	56	0.83	CFL	14	7	36	252	4.5	254.28	56.51	36	157%	9.42	527.4	-275.4	- 109%	-27.3
58	508	6	22	8	7	4.5	56	0.83	E	18	10	36	360	6.42	36.22	5.64	36	16%	1.34	75.1	284.9	79%	28.2
59	601	6	22	8	7	4.5	56	0.83	E	20	10	36	360	6.42	392.85	61.19	36	170%	14.55	814.8	-454.8	- 126%	-45.0
60	602	6	22	8	7	4.5	56	0.83	E	24	12	36	432	7.71	257.14	33.35	36	93%	9.52	533.3	-101.3	-23%	-10.0
61	604	6	22	8	7	4.5	56	0.83	E	13	7	36	252	4.5		0.00	36	0%	0.00	0.0	252.0	100%	24.9
62	605	6	22	8	7	4.5	56	0.83	E	20	10	36	360	6.42	155.71	24.25	36	67%	5.77	323.0	37.0	10%	3.7
63	609	6	22	8	7	4.5	56	0.83	E	22	5	36	180	3.21	257.14	80.11	36	223%	9.52	533.3	-353.3	- 196%	-35.0
64	704	6	22	15	12	4.5	180	1.48	E	48	24	36	864	4.8	557.14	116.07	43	270%	17.28	3109.6	- 2245.6	- 260%	-222.3
65	706	6	22	8	7	4.5	56	0.83	E	18	9	36	324	5.78	392.85	67.97	36	189%	14.55	814.8	-490.8	- 151%	-48.6
66	801	6	22	8	6	4.5	48	0.76	E	14	7	36	252	5.25	151.57	28.87	36	80%	5.61	269.5	-17.5	-7%	-1.7
67	802	6	22	8	6	4.5	48	0.76	E	15	8	36	288	6	162.85	27.14	36	75%	6.03	289.5	-1.5	-1%	-0.1
68	803	6	22	10	7	4.5	70	0.92	E	36	18	36	348	4.97	457.14	91.98	36	255%	16.93	1185.2	-837.2	- 241%	-82.9

69	805	6	22	10	7	4.5	70	0.92	E 2	4 1	2 3	36	432	6.17	242.85	39.36	36	109%	8.99	629.6	-197.6	-46%	-19.6
70	806	6	22	8	7	4.5	56	0.83	E 2	4 1	2 3	36	216	3.85	500	129.87	36	361%	18.52	1037.0	-821.0	- 380%	-81.3
71	901	6	22	8	6	4.5	48	0.76	E 1	6	6	36	216	4.5	110.57	24.57	36	68%	4.10	196.6	19.4	9%	1.9
72	902	6	22	8	7	4.5	56	0.83	E 1	8	9 3	36	324	5.78	192.5	33.30	36	93%	7.13	399.3	-75.3	-23%	-7.5
73	906	6	22	8	8	4.5	64	0.89	E 1	3	4 3	36	144	2.25	105	46.67	36	130%	3.89	248.9	-104.9	-73%	-10.4
74	907	6	22	8	8	4.5	48	0.89	E 1	2	4 3	36	144	3	56.42	18.81	36	52%	2.09	100.3	43.7	30%	4.3
75	1002	6	22	8	5	4.5	40	0.68	E 1	8	9 3	36	324	8.1	96.67	11.93	36	33%	3.58	143.2	180.8	56%	17.9
76	1003	6	22	8	5	4.5	40	0.68	E 1	4	7 3	36	252	6.3	245	38.89	36	108%	9.07	363.0	-111.0	-44%	-11.0
77	1004	6	22	8	5	4.5		0.68		2 1			396	9.9	195	19.70	36	55%	7.22	288.9	107.1	27%	10.6
78	1005	6	22	8	8	4.5		0.89			8 3		288	4.5	147.5	32.78	36	91%	5.46	349.6	-61.6	-21%	-6.1
79	1006	6	22	8	5	4.5		0.68		0 1	0 3	36	360	9	140	15.56	36	43%	5.19	207.4	152.6	42%	15.1
80	1101	6	22	10	7	4.5		0.92		8 2			864	12.34	9.428	0.76	36	2%	0.35	24.4	839.6	97%	83.1
81	1102	6	22	1	7	4.5		0.19		3 1			432	6.17	102	16.53	36	46%	3.78	264.4	167.6	39%	16.6
82	1103	6	22	10	7	4.5		0.92		9 1			612	8.74	45.42		36	14%	1.68	117.8	494.2	81%	48.9
83	1104	6	22	10	7			0.92		9 1			576	8.22	158.42		36	54%	5.87	410.7	165.3	29%	16.4
84	1105	6	22	15	7	4.5		1.06		8 2			828	7.88			40	82%	8.57	900.0	-72.0	-9%	-7.1

#### Opportunity for Conservation of energy:

#### Electronic Ballast:

The conventional ballast may be replaced with electronic ballast. The magnetic ballast generally consumes 15 W of power; while the electronic ballast consumes just about 3 W and delivers 10% more light output. However, these ballasts are usually tuned to save about 15 W of power while providing slightly lower light output (about 5%).

Thus energy saving of over 30% can be realized by replacing conventional ballast by electronic ballast. The expected annual savings shall be around Rs 500/- per tube light; while the cost of installing a ballast shall be Rs 250/-

The saving potential can be computed as under.

Description	Unit	Value				
Present Condition: Conventional Ballast						
Number of points	No	203				
Rating of the point light	Watt	36				
Rating of the switchgear	Watt	15				
Power consumption of the lamp	Watt	51				
Desirable Condition	: Electronic	Ballast				
Rating of the lamp	Watt	36				
Rating of the switchgear	Watt	2				
Power consumption of the						
lamp	Watt	32				
Controllable Loss						
Loss	Watt	19				
	%	37.3%				
Saving Po	otential					
Cost of power	Rs/kWh	5				
Operating period	Hr/Month	110				
Diversity Factor Energy Saving	%	75%				
Energy Saving	kWh/Mont					
	h	424.27				
	Rs/Month	1591				

The magnetic ballast can be replaced by electronic ballast; saving around Rs 1591/- per month. The actual saving shall vary depending on the switching period of the luminaire.

Dr. G. T. Thampi
PRINCIPAL
Basica (6), Marcha-400 (60).

The investment shall be Rs 81200/-; giving a payback period of 51 months.

#### LED Lamps:

A 15 W LED lamp can provide similar illumination level to that of 36 W TFL. It is thus possible to save about 21 W of power by replacing a 36 W TFL (with conventional ballast) with 15 W LED (with electronic starter). Thus energy saving of over 50% can be realized by replacing TFL with LED lamp.

The expected monthly savings shall be around Rs 2344.65/- for old building and Rs. 5370/- for new building.

The payback for the individual lamp shall be around 18 months.



# Chapter-VI

# Ceiling Fans

#### 6.1 Brief Description:

Total 135 working ceiling fans are counted in the available locations of old building and total 259 working ceiling fans are counted in the available locations of new building. The average rating is around 60W for old fans in the old building. For comparison purpose 45W rating is considered for both old and new buildings.

#### 6.2 Details:

The details are as below.

Sr No	Room No	Opera	ation	Ceiling Fan Details		<b>Energy Eff Fan</b>	Savings per mo		month	
				48'		28W@speed 5	@Rs 5/kWh		Wh	
		hr/d	d/m	Fitted	working	Rating	Rating	W	kWh	Rs
					TSEC OLD	BUILDING				
1	Ground	5	22	3	3	45	28	17	5.61	28.05
2	101	5	22	4	4	45	28	17	7.48	37.40
3	102	5	22	4	4	45	28	17	7.48	37.40
4	103	5	22	4	4	45	28	17	7.48	37.40
5	104	5	22	4	3	45	28	17	5.61	28.05
6	105	5	22	4	4	45	28	17	7.48	37.40
7	106	5	22	5	4	45	28	17	7.48	37.40
8	107	5	22	4	4	45	28	17	7.48	37.40
9	108	5	22	4	4	45	28	17	7.48	37.40
10	201	5	22	4	4	45	28	17	7.48	37.40
11	202	5	22	1	1	45	28	17	1.87	9.35
12	203	5	22	4	2	45	28	17	3.74	18.70
13	204	5	22	2	2	45	28	17	3.74	18.70
14	206	5	22	4	4	45	28	17	7.48	37.40
15	207	5	22	4	4	45	28	17	7.48	37.40
16	301	5	22	2	2	45	28	17	3.74	18.70
17	302	5	22	1	1	45	28	17	1.87	9.35
18	303	5	22	2	2	45	28	17	3.74	18.70
19	304	5	22	5	5	45	28	17	9.35	46.75
20	306	5	22	5	4	45	28	17	7.48	37.40

Dr. G. T. Thampi principal.

22											
23	21	307	5	22	3	3	45	28	17	5.61	28.05
24	22	308	5	22	4	4	45	28	17	7.48	37.40
25   408   5   22   4   4   45   28   17   7.48   37.40   26   409   5   22   1   1   45   28   17   1.87   9.35   27   501   5   22   3   3   45   28   17   5.61   28.05   28   502   5   22   1   1   45   28   17   1.87   9.35   29   503   5   22   5   5   45   28   17   7.48   37.40   30   504   5   22   4   4   45   28   17   7.48   37.40   31   505   5   22   5   5   45   28   17   7.48   37.40   32   506   5   22   4   4   45   28   17   7.48   37.40   33   507   5   22   5   4   45   28   17   7.48   37.40   34   509   5   22   4   4   45   28   17   7.48   37.40   34   509   5   22   4   4   45   28   17   7.48   37.40   34   509   5   22   4   4   45   28   17   1.87   9.35   36   602   5   22   4   4   45   28   17   1.87   9.35   36   602   5   22   4   4   45   28   17   1.87   9.35   37   603   5   22   4   4   45   28   17   1.87   9.35   39   605   5   22   4   4   45   28   17   1.87   9.35   40   606   5   22   4   4   45   28   17   1.87   9.35   41   608   5   22   4   4   45   28   17   1.87   9.35   42   101   5   22   2   4   4   45   28   17   7.48   37.40   43   102   5   22   4   4   45   28   17   7.48   37.40   44   103   5   22   4   4   45   28   17   7.48   37.40   45   6ffice   5   22   2   4   4   45   28   17   7.48   37.40   46   201   5   22   2   4   4   45   28   17   7.48   37.40   47   202   5   22   1   1   45   28   17   7.48   37.40   48   203   5   22   4   4   45   28   17   7.48   37.40   49   40   40   5   22   2   4   4   45   28   17   7.48   37.40   40   40   606   5   22   4   4   45   28   17   7.48   37.40   41   608   5   22   4   4   45   28   17   7.48   37.40   42   101   5   22   2   4   4   45   28   17   7.48   37.40   43   102   5   22   1   1   45   28   17   7.48   37.40   44   40   40   5   22   5   5   5   5   5   5   45   60   60   5   22   1   1   45   28   17   7.48   37.40   45   6ffice   5   22   2   4   4   45   28   17   1.87   9.35   56   50   5   22   6   6   6   45   28   17   1.22   56.10   57   503   505   5   22   6   6   6   45   28	23	401	5	22	3	3	45	28	17	5.61	28.05
26         409         5         22         1         1         45         28         17         1.87         9.35           27         501         5         22         3         3         45         28         17         5.61         28.03         9.35           28         503         5         22         5         5         45         28         17         7.48         37.40           30         504         6         22         4         4         45         28         17         7.48         37.40           31         505         5         22         5         5         45         28         17         7.48         37.40           32         506         5         22         4         4         45         28         17         7.48         37.40           33         507         5         22         4         1         45         28         17         1.87         9.35           35         601         5         22         1         1         45         28         17         1.87         9.35           36         602         5         22	24	402	5	22	3	3	45	28	17	5.61	28.05
27   501   5   22   3   3   45   28   17   5.61   28.05   28   502   5   22   1   1   45   28   17   1.87   9.35   29   503   5   22   5   5   45   28   17   7.35   46.75   30   504   5   22   4   4   45   28   17   7.48   37.40   31   505   5   22   5   5   45   28   17   7.48   37.40   31   505   5   22   5   5   45   28   17   7.48   37.40   33   507   5   22   5   4   4   45   28   17   7.48   37.40   33   507   5   22   5   4   4   45   28   17   7.48   37.40   33   507   5   22   5   4   4   45   28   17   7.48   37.40   33   507   5   22   5   4   4   45   28   17   1.87   9.35   36   600   5   22   1   1   45   28   17   1.87   9.35   36   600   5   22   4   4   4   45   28   17   1.87   9.35   36   600   5   22   4   4   4   45   28   17   1.87   9.35   36   600   5   22   4   4   4   45   28   17   7.48   37.40   38   604   5   22   4   4   4   45   28   17   7.48   37.40   38   604   5   22   4   4   4   45   28   17   7.48   37.40   38   604   5   22   4   4   4   45   28   17   7.48   37.40   41   608   5   22   4   4   4   45   28   17   7.48   37.40   41   608   5   22   4   4   4   45   28   17   7.48   37.40   41   608   5   22   4   4   4   45   28   17   7.48   37.40   41   608   5   22   4   4   4   45   28   17   7.48   37.40   41   608   5   22   4   4   4   45   28   17   7.48   37.40   41   608   5   22   4   4   4   45   28   17   7.48   37.40   41   608   5   22   4   4   4   45   28   17   7.48   37.40   41   608   5   22   4   4   4   45   28   17   7.48   37.40   41   608   5   22   4   4   4   45   28   17   7.48   37.40   41   608   5   22   4   4   4   45   28   17   7.48   37.40   41   608   5   22   4   4   4   45   28   17   7.48   37.40   41   608   5   22   4   4   4   45   28   17   7.48   37.40   41   608   5   22   4   4   4   45   28   17   7.48   37.40   41   608   5   22   1   1   4   45   28   17   7.48   37.40   41   608   5   22   1   1   4   45   28   17   7.48   37.40   41   608   5   22   1   1   4   45   28   17   7.48   37.40   60   60   50   5   22   1   1   4	25	408	5	22	4	4	45	28	17	7.48	37.40
28         502         5         22         1         1         45         28         17         1.87         9.35           29         503         5         22         5         5         45         28         17         9.35         46.75           30         504         5         22         4         4         45         28         17         7.48         37.40           31         506         5         22         5         5         45         28         17         7.48         37.40           33         507         5         22         5         4         45         28         17         7.48         37.40           34         509         5         22         4         1         45         28         17         1.87         9.35           35         601         5         22         6         6         45         28         17         1.87         9.35           36         602         5         22         4         4         45         28         17         7.48         37.40           37         603         5         22         4	26	409	5	22	1	1	45	28	17	1.87	9.35
29	27	501	5	22	3	3	45	28	17	5.61	28.05
30	28	502	5	22	1	1	45	28	17	1.87	9.35
31	29	503	5	22	5	5	45	28	17	9.35	46.75
32	30	504	5	22	4	4	45	28	17	7.48	37.40
33         507         5         22         5         4         45         28         17         7.48         37.40           34         509         5         22         4         1         45         28         17         1.87         9.35           35         601         5         22         6         6         45         28         17         1.87         9.35           36         602         5         22         6         6         45         28         17         1.122         56.10           37         603         5         22         4         4         45         28         17         1.87         9.35           39         605         5         22         5         5         45         28         17         7.48         37.40           40         606         5         22         4         4         45         28         17         7.48         37.40           TSEC NEW BUILDING           TSEC NEW BUILDING           42         101         5         22         2         2         28         17         1.74         18.70 <td>31</td> <td>505</td> <td>5</td> <td>22</td> <td>5</td> <td>5</td> <td>45</td> <td>28</td> <td>17</td> <td>9.35</td> <td>46.75</td>	31	505	5	22	5	5	45	28	17	9.35	46.75
34         509         5         22         4         1         45         28         17         1.87         9.35           35         601         5         22         1         1         45         28         17         1.87         9.35           36         602         5         22         6         6         45         28         17         1.12         56.10           37         603         5         22         4         1         45         28         17         7.48         37.40           38         604         5         22         4         1         45         28         17         7.48         37.40           40         606         5         22         4         4         45         28         17         7.48         37.40           41         608         5         22         4         4         45         28         17         7.48         37.40           41         608         5         22         2         4         4         45         28         17         7.48         37.40           42         101         5         22	32	506	5	22	4	4	45	28	17	7.48	37.40
35         601         5         22         1         1         45         28         17         1.87         9.35           36         602         5         22         6         6         45         28         17         1.1.2         56.10           37         603         5         22         4         4         45         28         17         7.48         37.40           38         604         5         22         4         1         45         28         17         1.87         9.35           40         606         5         22         4         4         45         28         17         7.48         37.40           41         608         5         22         4         4         45         28         17         7.48         37.40           41         608         5         22         2         2         45         28         17         7.48         37.40           42         101         5         22         2         2         2         2         17         1.87         9.35           44         103         5         22         2	33	507	5	22	5	4	45	28	17	7.48	37.40
36         602         5         22         6         6         45         28         17         11.22         56.10           37         603         5         22         4         4         45         28         17         7.48         37.40           38         604         5         22         4         1         45         28         17         1.87         9.35           40         606         5         22         4         4         45         28         17         7.48         37.40           41         608         5         22         4         4         45         28         17         7.48         37.40           41         608         5         22         4         4         45         28         17         7.48         37.40           41         606         5         22         2         2         45         28         17         7.48         37.40           42         101         5         22         2         2         45         28         17         7.48         37.40           43         102         5         22         2	34	509	5	22	4	1	45	28	17	1.87	9.35
37         603         5         22         4         4         45         28         17         7.48         37.40           38         604         5         22         4         1         45         28         17         1.87         9.35           39         605         5         22         5         5         45         28         17         7.48         37.40           41         606         5         22         4         4         45         28         17         7.48         37.40           TSEC NEW BUILDING           TSEC NEW BUILDING           42         101         5         22         2         2         2         28         17         3.74         18.70           43         102         5         22         1         1         45         28         17         7.48         37.40           44         103         5         22         2         45         28         17         7.48         37.4           44         103         5         22         2         45         28         17         7.48         37.4           <	35	601	5	22	1	1	45	28	17	1.87	9.35
38         604         5         22         4         1         45         28         17         1.87         9.35           39         605         5         22         5         5         45         28         17         9.35         46.75           40         606         5         22         4         4         45         28         17         7.48         37.40           41         608         5         22         4         4         45         28         17         7.48         37.40           TSEC NEW BUILDING           TSEC NEW BUILDING           42         101         5         22         2         2         45         28         17         7.48         37.40           43         102         5         22         1         1         45         28         17         7.48         37.40           45         office         5         22         2         2         45         28         17         7.48         37.40           45         office         5         22         5         5         45         28         17         9.35	36	602	5	22	6	6	45	28	17	11.22	56.10
39         605         5         22         5         5         45         28         17         9.35         46.75           40         606         5         22         4         4         45         28         17         7.48         37.40           41         608         5         22         4         4         45         28         17         7.48         37.40           TSEC NEW BUILDING           42         101         5         22         2         2         45         28         17         3.74         18.70           43         102         5         22         1         1         45         28         17         7.48         37.40           45         office         5         22         2         2         2         28         17         7.48         37.40           45         office         5         22         2         2         45         28         17         7.48         37.40           45         office         5         22         2         2         45         28         17         9.35         46.75           47	37	603	5	22	4	4	45	28	17	7.48	37.40
40         606         5         22         4         4         45         28         17         7.48         37.40           41         608         5         22         4         4         45         28         17         7.48         37.40           TSEC NEW BUILDING           42         101         5         22         2         2         45         28         17         3.74         18.70           43         102         5         22         1         1         45         28         17         7.48         37.40           44         103         5         22         2         2         45         28         17         7.48         37.40           45         office         5         22         2         2         45         28         17         7.48         37.40           45         office         5         22         2         2         45         28         17         7.48         37.40           46         201         5         22         5         5         45         28         17         1.87         9.35           47	38	604	5	22	4	1	45	28	17	1.87	9.35
	39	605	5	22	5	5	45	28	17	9.35	46.75
TSEC NEW BUILDING  42	40	606	5	22	4	4	45	28	17	7.48	37.40
42         101         5         22         2         2         45         28         17         3.74         18.70           43         102         5         22         1         1         45         28         17         1.87         9.35           44         103         5         22         4         4         45         28         17         7.48         37.40           45         office         5         22         2         2         45         28         17         7.48         37.40           46         201         5         22         5         5         45         28         17         1.87         9.35           47         202         5         22         1         1         45         28         17         1.87         9.35           48         203         5         22         6         6         45         28         17         11.22         56.10           49         204         5         22         2         2         45         28         17         11.22         56.10           50         206         5         22         1 <td>41</td> <td>608</td> <td>5</td> <td>22</td> <td>4</td> <td>4</td> <td>45</td> <td>28</td> <td>17</td> <td>7.48</td> <td>37.40</td>	41	608	5	22	4	4	45	28	17	7.48	37.40
43         102         5         22         1         1         45         28         17         1.87         9.35           44         103         5         22         4         4         45         28         17         7.48         37.40           45         office         5         22         2         2         45         28         17         7.48         37.40           46         201         5         22         5         5         45         28         17         9.35         46.75           47         202         5         22         1         1         45         28         17         1.87         9.35           48         203         5         22         6         6         45         28         17         11.22         56.10           49         204         5         22         2         2         45         28         17         11.22         56.10           50         206         5         22         1         1         45         28         17         11.22         56.10           51         301         5         22         5 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>TSEC NEW</td> <td>BUILDING</td> <td><u> </u></td> <td></td> <td></td> <td></td>						TSEC NEW	BUILDING	<u> </u>			
44         103         5         22         4         4         45         28         17         7.48         37.40           45         office         5         22         2         2         45         28         17         3.74         18.70           46         201         5         22         5         5         45         28         17         9.35         46.75           47         202         5         22         1         1         45         28         17         1.87         9.35           48         203         5         22         6         6         45         28         17         11.22         56.10           49         204         5         22         2         2         45         28         17         1.87         9.35           50         206         5         22         1         1         45         28         17         1.87         9.35           51         301         5         22         5         6         45         28         17         11.22         56.10           52         302         5         22         6 <td>42</td> <td>101</td> <td>5</td> <td>22</td> <td>2</td> <td>2</td> <td>45</td> <td>28</td> <td>17</td> <td>3.74</td> <td>18.70</td>	42	101	5	22	2	2	45	28	17	3.74	18.70
45 office         5         22         2         45         28         17         3.74         18.70           46         201         5         22         5         5         45         28         17         9.35         46.75           47         202         5         22         1         1         45         28         17         1.87         9.35           48         203         5         22         6         6         45         28         17         11.22         56.10           49         204         5         22         2         2         45         28         17         11.22         56.10           50         206         5         22         1         1         45         28         17         1.87         9.35           51         301         5         22         5         6         45         28         17         11.22         56.10           52         302         5         22         6         6         45         28         17         11.22         56.10           53         306         5         22         7         7	43	102	5	22	1	1	45	28	17	1.87	9.35
46         201         5         22         5         5         45         28         17         9.35         46.75           47         202         5         22         1         1         45         28         17         1.87         9.35           48         203         5         22         6         6         45         28         17         11.22         56.10           49         204         5         22         2         2         45         28         17         13.74         18.70           50         206         5         22         1         1         45         28         17         1.87         9.35           51         301         5         22         5         6         45         28         17         11.22         56.10           52         302         5         22         6         6         45         28         17         11.22         56.10           53         306         5         22         7         7         45         28         17         13.09         65.45           54         403         5         22         1 <td>44</td> <td>103</td> <td>5</td> <td>22</td> <td>4</td> <td>4</td> <td>45</td> <td>28</td> <td>17</td> <td>7.48</td> <td>37.40</td>	44	103	5	22	4	4	45	28	17	7.48	37.40
47         202         5         22         1         1         45         28         17         1.87         9.35           48         203         5         22         6         6         45         28         17         11.22         56.10           49         204         5         22         2         2         45         28         17         1.87         9.35           50         206         5         22         1         1         45         28         17         1.87         9.35           51         301         5         22         5         6         45         28         17         11.22         56.10           52         302         5         22         6         6         45         28         17         11.22         56.10           53         306         5         22         7         7         45         28         17         13.09         65.45           54         403         5         22         4         4         45         28         17         7.48         37.40           55         405         5         22         1	45	office	5	22	2	2	45	28	17	3.74	18.70
48         203         5         22         6         6         45         28         17         11.22         56.10           49         204         5         22         2         2         45         28         17         13.74         18.70           50         206         5         22         1         1         45         28         17         1.87         9.35           51         301         5         22         5         6         45         28         17         11.22         56.10           52         302         5         22         6         6         45         28         17         11.22         56.10           53         306         5         22         7         7         45         28         17         13.09         65.45           54         403         5         22         4         4         45         28         17         7.48         37.40           55         405         5         22         1         1         45         28         17         11.22         56.10           57         503         5         22         7<	46	201	5	22	5	5	45	28	17	9.35	46.75
49         204         5         22         2         2         45         28         17         3.74         18.70           50         206         5         22         1         1         45         28         17         1.87         9.35           51         301         5         22         5         6         45         28         17         11.22         56.10           52         302         5         22         6         6         45         28         17         11.22         56.10           53         306         5         22         7         7         45         28         17         13.09         65.45           54         403         5         22         4         4         45         28         17         7.48         37.40           55         405         5         22         1         1         45         28         17         1.87         9.35           56         502         5         22         6         6         45         28         17         11.22         56.10           57         503         5         22         7 <td>47</td> <td>202</td> <td>5</td> <td>22</td> <td>1</td> <td>1</td> <td>45</td> <td>28</td> <td>17</td> <td>1.87</td> <td>9.35</td>	47	202	5	22	1	1	45	28	17	1.87	9.35
50         206         5         22         1         1         45         28         17         1.87         9.35           51         301         5         22         5         6         45         28         17         11.22         56.10           52         302         5         22         6         6         45         28         17         11.22         56.10           53         306         5         22         7         7         45         28         17         13.09         65.45           54         403         5         22         4         4         45         28         17         7.48         37.40           55         405         5         22         1         1         45         28         17         1.87         9.35           56         502         5         22         6         6         45         28         17         11.22         56.10           57         503         5         22         7         6         45         28         17         11.22         56.10           58         504         5         22         7 <td>48</td> <td>203</td> <td></td> <td>22</td> <td></td> <td></td> <td>45</td> <td>28</td> <td></td> <td></td> <td>56.10</td>	48	203		22			45	28			56.10
51         301         5         22         5         6         45         28         17         11.22         56.10           52         302         5         22         6         6         45         28         17         11.22         56.10           53         306         5         22         7         7         45         28         17         13.09         65.45           54         403         5         22         4         4         45         28         17         7.48         37.40           55         405         5         22         1         1         45         28         17         1.87         9.35           56         502         5         22         6         6         45         28         17         11.22         56.10           57         503         5         22         7         6         45         28         17         11.22         56.10           58         504         5         22         7         7         45         28         17         13.09         65.45           59         505         5         22         4<	49	204	5	22	2	2	45	28	17	3.74	18.70
52       302       5       22       6       6       45       28       17       11.22       56.10         53       306       5       22       7       7       45       28       17       13.09       65.45         54       403       5       22       4       4       45       28       17       7.48       37.40         55       405       5       22       1       1       45       28       17       1.87       9.35         56       502       5       22       6       6       45       28       17       11.22       56.10         57       503       5       22       7       6       45       28       17       11.22       56.10         58       504       5       22       7       7       45       28       17       13.09       65.45         59       505       5       22       4       4       45       28       17       7.48       37.40         60       508       5       22       4       4       45       28       17       7.48       37.40         61       601	50	206	5	22	1	1	45	28	17	1.87	9.35
53         306         5         22         7         7         45         28         17         13.09         65.45           54         403         5         22         4         4         45         28         17         7.48         37.40           55         405         5         22         1         1         45         28         17         1.87         9.35           56         502         5         22         6         6         45         28         17         11.22         56.10           57         503         5         22         7         6         45         28         17         11.22         56.10           58         504         5         22         7         7         45         28         17         13.09         65.45           59         505         5         22         4         4         45         28         17         7.48         37.40           60         508         5         22         4         4         45         28         17         7.48         37.40           61         601         5         22         5 <td>51</td> <td>301</td> <td>5</td> <td>22</td> <td>5</td> <td>6</td> <td>45</td> <td>28</td> <td>17</td> <td>11.22</td> <td>56.10</td>	51	301	5	22	5	6	45	28	17	11.22	56.10
54       403       5       22       4       4       45       28       17       7.48       37.40         55       405       5       22       1       1       45       28       17       1.87       9.35         56       502       5       22       6       6       45       28       17       11.22       56.10         57       503       5       22       7       6       45       28       17       11.22       56.10         58       504       5       22       7       7       45       28       17       13.09       65.45         59       505       5       22       4       4       45       28       17       7.48       37.40         60       508       5       22       4       4       45       28       17       7.48       37.40         61       601       5       22       5       5       45       28       17       9.35       46.75         62       602       5       22       8       8       45       28       17       14.96       74.80         63       604	52	302	5	22		6	45	28	17	11.22	56.10
55       405       5       22       1       1       45       28       17       1.87       9.35         56       502       5       22       6       6       45       28       17       11.22       56.10         57       503       5       22       7       6       45       28       17       11.22       56.10         58       504       5       22       7       7       45       28       17       13.09       65.45         59       505       5       22       4       4       45       28       17       7.48       37.40         60       508       5       22       4       4       45       28       17       7.48       37.40         61       601       5       22       5       5       45       28       17       9.35       46.75         62       602       5       22       8       8       45       28       17       14.96       74.80         63       604       5       22       7       6       45       28       17       11.22       56.10	53	306	5	22	7	7	45	28	17	13.09	65.45
56         502         5         22         6         6         45         28         17         11.22         56.10           57         503         5         22         7         6         45         28         17         11.22         56.10           58         504         5         22         7         7         45         28         17         13.09         65.45           59         505         5         22         4         4         45         28         17         7.48         37.40           60         508         5         22         4         4         45         28         17         7.48         37.40           61         601         5         22         5         5         45         28         17         9.35         46.75           62         602         5         22         8         8         45         28         17         14.96         74.80           63         604         5         22         7         6         45         28         17         11.22         56.10	54	403	5	22	4	4	45	28	17	7.48	37.40
57       503       5       22       7       6       45       28       17       11.22       56.10         58       504       5       22       7       7       45       28       17       13.09       65.45         59       505       5       22       4       4       45       28       17       7.48       37.40         60       508       5       22       4       4       45       28       17       7.48       37.40         61       601       5       22       5       5       45       28       17       9.35       46.75         62       602       5       22       8       8       45       28       17       14.96       74.80         63       604       5       22       7       6       45       28       17       11.22       56.10	55	405	5	22	1	1	45	28	17	1.87	9.35
58     504     5     22     7     7     45     28     17     13.09     65.45       59     505     5     22     4     4     45     28     17     7.48     37.40       60     508     5     22     4     4     45     28     17     7.48     37.40       61     601     5     22     5     5     45     28     17     9.35     46.75       62     602     5     22     8     8     45     28     17     14.96     74.80       63     604     5     22     7     6     45     28     17     11.22     56.10	56	502	5	22		6	45	28	17	11.22	56.10
59     505     5     22     4     4     45     28     17     7.48     37.40       60     508     5     22     4     4     45     28     17     7.48     37.40       61     601     5     22     5     5     45     28     17     9.35     46.75       62     602     5     22     8     8     45     28     17     14.96     74.80       63     604     5     22     7     6     45     28     17     11.22     56.10	57	503	5	22	7	6	45	28	17	11.22	56.10
60     508     5     22     4     4     45     28     17     7.48     37.40       61     601     5     22     5     5     45     28     17     9.35     46.75       62     602     5     22     8     8     45     28     17     14.96     74.80       63     604     5     22     7     6     45     28     17     11.22     56.10	58	504	5	22	7	7	45	28	17	13.09	65.45
61     601     5     22     5     5     45     28     17     9.35     46.75       62     602     5     22     8     8     45     28     17     14.96     74.80       63     604     5     22     7     6     45     28     17     11.22     56.10	59	505	5	22	4	4	45	28	17	7.48	37.40
62     602     5     22     8     8     45     28     17     14.96     74.80       63     604     5     22     7     6     45     28     17     11.22     56.10	60	508	5	22	4	4	45	28	17	7.48	37.40
63 604 5 22 7 6 45 28 17 11.22 56.10	61		5	22	5	5	45	28	17	9.35	46.75
	62	602	5	22		8	45	28	17	14.96	74.80
64 605 5 22 7 2 45 28 17 3.74 18.70	63	604	5	22			45	28	17	11.22	56.10
	64	605	5	22	7	2	45	28	17	3.74	18.70





65	609	5	22	7	7	45	28	17	13.09	65.45
66	702	5	22	6	6	45	28	17	11.22	56.10
67	703	5	22	21	21	45	28	17	39.27	196.35
68	706	5	22	7	6	45	28	17	11.22	56.10
69	801	5	22	6	6	45	28	17	11.22	56.10
70	802	5	22	5	5	45	28	17	9.35	46.75
71	803	5	22	15	15	45	28	17	28.05	140.25
72	805	5	22	7	6	45	28	17	11.22	56.10
73	806	5	22	7	6	45	28	17	11.22	56.10
74	901	5	22	6	6	45	28	17	11.22	56.10
75	902	5	22	4	6	45	28	17	11.22	56.10
76	906	5	22	6	5	45	28	17	9.35	46.75
77	907	5	22	5	4	45	28	17	7.48	37.40
78	1002	5	22	5	5	45	28	17	9.35	46.75
79	1003	5	22	5	5	45	28	17	9.35	46.75
80	1004	5	22	6	5	45	28	17	9.35	46.75
81	1005	5	22	2	2	45	28	17	3.74	18.70
82	1006	5	22	3	3	45	28	17	5.61	28.05
83	1101	5	22	9	9	45	28	17	16.83	84.15
84	1102	5	22	6	5	45	28	17	9.35	46.75
85	1103	5	22	6	5	45	28	17	9.35	46.75
86	1104	5	22	9	9	45	28	17	16.83	84.15
87	1105	5	22	17	16	45	28	17	29.92	149.60

#### 6.3 Economics:

Replacing old fans with new energy efficient fans can be considered. These fans save energy while delivering similar air flows.

The cost of replacement of 394 working ceiling fans (excluding non-working, wall and exhaust fans) shall be around Rs 9,85,000/- giving a payback period of around 22.28 years. It is calculated by considering 45W consumption on average operation basis.

The expected saving potential is around Rs 3683/- per month.

Thus, the investment is high and the payback period is not much attractive.



# Chapter-VII

# Miscellaneous Consumers

#### 7.1 Brief Description:

The other consumers include elevators, street lighting, passage lighting, water pumps, fire pumps, machine tools in the work shop, xerox machines, printers and computers.

The consumption of above equipment was not possible due to unavoidable circumstances.



# **Chapter-VIII**

# Renewable Energy

### 8.1 Brief Description:

The institute should prefer the installation of solar system for both the old and new buildings.

It is possible to cut down the cost of electricity to great extent.

Also, solar water pumping must be considered which will save significant electricity as presently consumed by conventionally operated centrifugal pumps.



# **ENVIRONMENT AUDITREPORT**





## Varshasookt Consultants

We cherish the drops of life!!!

www.varshasookt.in







### **CONTENTS**

- 1. ACKNOWLEDGEMENT
- 2. CERTIFICATE
- 3. CONTEXT
- 4. CONCEPT
- 5. EXECUTIVE SUMMARY
- 6. INTRODUCTION
- 7. OVERVIEW OF INSTITUTE
- 8. AUDIT OBJECTIVES & SCOPE
- 9. ENVIRONMENTAL AUDIT QUESTIONARE
  - I. WASTE MINIMIZATION AND RECYCLING
  - II. GREENING
  - III. ENERGY CONSERVATION
  - IV. WATER CONSERVATION
  - v. ANIMAL WELFARE
  - VI. ENVIRONMENTAL LEGISLATIVE COMPLIANCE
  - VII. GENERAL PRACTICES
- 10. RECOMENDATION
- 11. CONCLUSION











## 1. ACKNOWLEDGMENT

VARSHASOOKT CONSULTANTS Environment Audit Team thanks the management of THADOMAL SHAHANI ENGINEERING COLLEGE for assigning this important work of Environmental Audit. Our special thanks are due to:

- Honorable Principal G.T. Thampi
- Teaching & Supporting Staff of Collage for giving us necessary inputs to carry
  out this very vital exercise of Environmental Audit. We are also thankful to
  other staff members who were actively involved while collecting the data
  and conducting field measurements.

For giving us necessary inputs to carry out this very vital exercise of Environment Audit. We are also thankful to other staff members who were actively involved while collecting the data and conducting field measurements.











## **ENVIRONMENT AUDIT CERTIFICATE**

This is to certify that "Environment Audit" for Thadomal Shahani College of Engineering,
Linking Rd, TPS III, Bandra West, Mumbai, Maharashtra 400050, has been conducted in
Feb -2021 to assess the green initiatives planning and efforts implemented in the college
campus like Green Campus Management. Carbon Footprint, plantations, waste management,
rainwater harvesting and conservation of energy. This green audit is also aimed to assess
eco-friendly initiatives for maintenance of impact of green campus.

Place: Bandra

Date: 12th March 2021



Ms. Chitralekha Vaidya
(Lead Auditor)











#### 2. CONTEXT

The National Board of Accreditation Council (NBA) have made it mandatory that all Higher Educational Institutions (HEI) should submit Environmental Audit Report. Moreover, it is part of Corporate Social Responsibility of the Higher Educational Institutions to ensure that they contribute towards the reduction of global warming through Carbon Footprint reduction measures. In view of the NBA circular regarding Environmental Auditing, the College Management decided to conduct an external Environment Evaluation by a competent Environment Auditor along with an Environment Audit Assessment Team headed by Ms. Chitralekha Vaidya.

Thadomal Shahani Engineering College, Bandra. Green Audit or Environment Audit focuses on the Green Campus, Waste Management, Water Management, and Energy Management being implemented by the College Management. The concept, structure, objectives, methodology, tools of analysis, objectives of the auditor mentioned below.











### 3. CONCEPT

The term 'Environmental audit' or 'Green audit' means differently to different people. Terms like 'assessment', 'survey' and 'review' are also used to describe similar activities. Furthermore, some organizations believe that an 'environmental audit' addresses only environmental matters, whereas others use the term to mean an audit of health, safety and environment-related matters. Although there is no universal definition of Green Audit, many leading companies/institutions follow the basic philosophy and approach summarized by the broad definition adopted by the International Chambers of Commerce (ICC) in its publication of Environmental Auditing (1989). The ICC defines Environmental Auditing as: "A management tool comprising a systematic, documented, periodic and objective evaluation of how well environmental organization, management and equipment are performing with the aim of safeguarding the environment and natural resources in its operations/projects." The European Commission, in its proposed regulation on environmental auditing, has also adopted the ICC definition of Environmental Audit. However, the outcome of Green Audit should be established with concrete evidence that the measures undertaken and facilities in the institution under green audit.











### 4. EXECUTIVE SUMMARY

A nation's growth starts from its educational institutions. Where, the ecology is thought as a prime factor of development associated with environment. A clean and healthy environment aids effective learning and provides a conducive learning environment. Educational institutions, now- a-days, are becoming more sensitive to environmental factors and more concepts are being introduced to make them eco-friendly. To preserve the environment within the campus, various viewpoints are applied by several educational institutes to solve their environmental problems such as promotion of the energy savings by installing more efficient electronics and electrical equipment, proper segregation and recycle of waste, water use reduction, water harvesting and conservation etc. The activities pursued by colleges can also create a variety of adverse environmental impacts.

Environmental auditing is a process whereby an organization's environmental performance is tested against its environmental policies and objectives. Environment audit is defined as an official examination of the effects a college has on the environment. As a part of such practice, internal environmental audit is conducted to evaluate the actual scenario at the campus.

Environment audit can be a useful tool for a college to determine how and where they are using the most energy or water or resources. The college can then consider how to implement changes and make savings. It can also be used to determine the type and volume of waste, which can be used for a recycling project or to improve waste minimization plan. Environment auditing and the implementation of mitigation measures is a win-win situation for all the college, the learners and the planet. It can also create health consciousness and promote environmental awareness, values and ethics. It provides staff and students better understanding of Environment impact on campus. Environment auditing promotes financial savings through reduction of resource use. It gives an opportunity for the development of ownership, personal and social responsibility for the students and teachers. If self-enquiry is a natural and necessary outgrowth of a quality education, it could also be stated that institutional self-enquiry is a natural and necessary outgrowth of a quality educational institution. Thus, it is imperative that the college evaluate its own contributions toward a sustainable future. As environmental sustainability is becoming an increasingly important issue for the nation, the role of higher educational institutions in relation to environmental sustainability is more prevalent. This audit report contains observations and recommendations for improvement of environmental consciousness.











#### 5. INTODUCTION

A clean and healthy environment aids effective learning and provides a conducive learning environment. There are various efforts around the world to address environmental education issues. Environmental Management Systems (EMS) is very popular in the industrial sector, but the general belief is that EMS is something pertaining to industries only. Other parts of the world have started adopting compatible environmental management systems either voluntarily or for promoting standards by external certification. International environmental standards do not suit the existing Indian educational system. Hence EHS Alliance has developed a compatible system by developing locally- applicable techniques. A very simple indigenized system has been devised to monitor the environmental performance of educational institutions. It comes with a series of questions to be answered on a regular basis. Environmental conditions may be monitored from angles that are relevant to Indian requirements, without stress on legal issues or compliance. This innovative scheme is user-friendly and totally voluntary. The environmental monitoring system helps the institution to set environmental examples for the community and to educate young learners. It can be adapted to urban and / or rural situations.

Environment Audit is a process of systematic identification, quantification, recording, reporting and analysis of components of environmental diversity of various establishments. It aims to analyze environmental practices within and outside of the concerned sites, which will have an impact on the eco-friendly ambience. Environment audit can be a useful tool for a college to determine how and where they are using the most energy or water or resources; the college can then consider how to implement changes and make savings. It can also be used to determine the type and volume of waste, which can be used for a recycling project or to improve waste minimization plan. It can create health consciousness and promote environmental awareness, values and ethics. It provides staff and students better understanding of Environment impact on campus. If self-enquiry is a natural and necessary outgrowth of a quality education, it could also be stated that institutional self-enquiry is a natural and necessary outgrowth of a quality educational institution. Thus, it is imperative that the college evaluate its own contributions toward a sustainable future. As environmental sustainability is becoming an increasingly important issue for the nation, the role of higher educational institutions in relation to environmental sustainability is more prevalent. Through Environment Audit one gets a direction as how to improve the condition of environment and there are various factors that have determined the growth of carrying out Environment Audit.











#### 5.1 About the College

Thadomal Shahani Engineering College (TSEC) is an engineering college in Mumbai, India. Founded in 1983, it is the first and the oldest private engineering institute affiliated with the University of Mumbai. TSEC was founded by the Hyderabad (Sind) National Collegiate Board (HSNC Board) in the year 1983. It is named after one of Mumbai's most respected philanthropists, Dada Kishinchand T. Shahani's father, Thadomal Shahani. The HSNC board is a charitable trust established by the Sindhi Community in 1922. With active support and encouragement from one of Bombay's influential Barrister H.G. Advani, the HSNC Board came into existence in 1949 at Bandra, Mumbai. The Late Barrister became the Founder-President, whereas Vidyasagar Principal K.M. Kundnani was the Founder-Secretary and Founder-Principal of the first college started by the board was R.D National College. Since then the Board has been offering unique pre-degree study, undergraduate and post graduate degrees in a wide range of programs. It has produced professionals' par excellence in the fields of Arts, Science, Commerce, Management, Education, Law, Engineering, Technology and Para-Medical.

#### 5.2 Vision

- Contributing to evolving supply chain of human capital for National Economy
- Creating entrepreneurs and 'game changers' to support heightened level of economic activities underpinning ever increasing human aspiration
- Helping the Nation evolve as a total solution provider
- Value and wealth creation for the mankind











#### 5.3 Mission

- Product and processes innovation
- Leveraging human cognitive and behavioral science for creating instructional content
- Pervasive and ubiquitous Information Communication Technologies for customized content for learning
- Acknowledge and facilitate various learning styles and learning abilities
- Migrating from teaching paradigm to learning paradigm
- Every day discourse shall inculcate research culture and further the cause of societal advancement
- Understand various markets and cultures
- Collaborative learning and emotional integrity
- Sensitizing about opportunities in Energy, Education, Environment and Health care sectors
- Extensively promoting computer aided design, analysis, and manufacturing procedures
- Theoretical rigor to develop conceptual clarity
- Modelling and design of experiments to inculcate culture of investigation
- Helping foot print on Project management and collaborative human endeavor.
- Interdisciplinary studies and exposure to functional areas.

### **5.4** Other Facilities

- Library
- Seminar Hall
- Laboratory
- Canteen
- Wi-fi and 3G communication enabled campus
- Spacious student loun












No. of Buildings	2
No. of Floors in Building-1	11
No. of Floors in Building-2	6

## 6. OVERVIEW OF INSTITUTE

## New Building



### Old Building









#### 7. OBJECTIVES

Environmental education through systematic environmental management approach Financial savings through a reduction in resource use Reduction in resource use Improving environmental standards Developing an environmental ethic and value systems in young people Enhancement of university profile











## 8. ENVIRONMENTAL AUDIT - QUESTIONARE

The areas of eco/environmental/green auditing to be followed/practiced by participating institutions:

- 1. Waste Minimization and Recycling
- 2. Greening
- 3. Energy Conservation
- 4. Water Conservation
- 5. Animal Welfare
- 6. Environmental Legislative
- 7. General Practices

#### TOTAL POPULATION OF THE COLLEGE

Particulars	Male	Female
Professor	02	08
Associate Professor	11	10
Assistant Professor	27	57
Students	1,200	800
Total	1,240	875

Approximate Number of Visitors (Per day) -100

What is the total number of working days of your campus in a year? -291











# 9. Geographical Assessment of the college

### Which of the following are available in your college?

1.	Garden area	Present
2.	Playground	NA
3.	Kitchen	Present
4.	Toilets	Present
5.	Garbage or Waste Store Yard	NA
6.	Laboratory	Present
7.	Canteen	Present
		NA
8.	Hostel Facility (numbers)	Present
9.	Guest House Available	

#### Which of the following are found near your institute?

		NA
1.	Garbage heap	IVA
2.	Public convenience	Present
2	Sewer line	Present
5.		NA
4.	Stagnant water	NA
5.	Open drainage	NA
6.	Industry – (Mention the type)	
		Present
/.	Bus / Railway station	Present
8.	Market / Shopping complex / Public	
	halls	











### I – WASTE MINIMIZATION AND RECYCLING

What is the approximate amount of waste generated per day? (In Kilograms/month) (approx.) Bio Degradable and Non-Biodegradable Hazardous others 50kg & 10kg Yes

Does your institute generate any waste? If so,	Yes, Solid waste Canteen waste, Paper, plastic,		
What are they?	Horticulture Waste etc.		
What is the approximate amount of waste	Biodegradable	Non-	Hazardous
generated per day?		Biodegradable	
	30kg	5kg	0 kg
Do you use recycled paper in institute?		No	
Do you use reused paper in institute?		No	
	Yes		
Does college have waste segregation?	On each floor there are two dustbins Blue(non-		
	biodegradable) and Green( Biodegradable)		

### II - GREENING

Is there is a garden in your college?	Yes
Do students spend time in the garden?	Yes
Total number of Plants in Campus	26
Is the college campus have any Horticulture  Department?	No
Number of Staff for Gardening activity	One











## III – ENERGY CONSERVATION

List ways that you use energy in your institute.	<ul><li>a. Lighting Requirements</li><li>b. Centralized AC</li><li>c. Water Pump</li></ul>
Are, there any energy saving methods employed in your institute? If yes, please specify. If no, suggest some	No
Fire Hydrant in College?	On each floor there is Fire  Extinguisher on each floor and there is a Fire Hose box present
Are your computers and other equipment's put-on power-saving mode?	Yes
Do you run "switch off" drills at institute?	Yes
List of Electronic Equipment	Yes, Electronic Timer for Water Pump



Fig-1. Fire Extinguisher on each Floor











## IV – WATER CONSERVATION

List four uses of water in your institute	Basic use of water in campus:  1. Drinking 2. Gardening 3. Kitchen and Toilets 4. Others
	4. Others
Does your college harvest rain water?	Yes, water is stored in underground tank by Rain water
Is there any water recycling System?	No
Write down four ways that could reduce the	Basic Four ways:
amount of water used in your institute	1. Close the taps after usage
	2. Maintenance and monitoring of valves in
	supply system to avoid overflow, leakage and
	spillage
	3. Water Conservation awareness for new
	students
If there is water wastage, specify why and How	No
can the wastage be prevented / stopped?	











### V – ANIMAL WELFARE

List the animals (wild and domestic) found on	Birds
the campus (dogs, cats, squirrels, birds, insects,	
etc.)	
How many dogs in your area have undergone	No
Animal Birth Control - Anti Rabies (ABC - AR)?	

### VI – ENVIRONMENTAL LEGISLATIVE COMPLIANCE

Are you aware of any environmental Laws pertaining to different aspects of environmental management?	Yes
Does Environmental Water and Wastewater  Quality monitoring conduct by the college?	No
Does any Hazardous waste generate by the Institute? If yes explain its category and disposal method	No
Does Environmental Ambient Air Quality  Monitoring conduct by the college?	No











## VII – GENERAL

Does housekeeping schedule in your campus?	Yes
Are students and faculties aware of environmental cleanliness ways? If Yes Explain	Yes, Swachh Bharat Abhiyan.
Does Important Days Like World Environment Day, Earth Day, and Ozone Day etc. eminent in Campus?	No
Does Institute use renewable energy?	No
Does college have any Recognition/certification for environment friendliness?	No











### 10. RECOMMENDATION

Following are the recommendations to make the college completely in environmental sustainable,

### **Water Management**

The study observed that water comes from BMC and it is used for drinking purpose, canteen, toilets, laboratory and gardening. During the survey, no loss of water is observed, neither by any leakages nor by over flow of water from overhead tanks. The rain water harvesting system in installed in one building which stores in one underground tank and the water is for Gardening purpose. This is one of the unique steps towards greening practices for storing and reuse of rain water.

- To indicate the water consumption, water sources, irrigation, storm water appliances and fixtures the college must go undergo water audit purpose.
- Repair sources of water leakage, such as dripping taps. Regular checking and maintenance of pipelines can be done to control water wastage.
- Minimize wastage of water and use of electricity during water filtration process, Minimize
  wastage of water and use of electricity during water filtration process, such as Aquaguard
  filtration process and ensure that the equipment's are regularly serviced with no wastage
  of water.
- Encourage to decrease the water source at various water usage points.
- Test the water parameters ph, BOD, COD, TSS etc to know the water condition.

#### **Waste Management**

College is working on 3Rs concept "Reduce. Reuse and Recycle" by reducing paper demand with the help of digital concept. All offices work on paper less concept by digital display of all the notices and information, Re-use one-sided paper for notes, sketches, rough work, etc.

 College must installed different colour (Red, Green and Blue) dustbins for segregated dumping of waste as recyclable (Red), degradable (Green) and Non-biodegradable (Blue). In their campus.







- Routine disposal of debris and droppings from trees are done through TSEC housekeeping staffs. They dust all the floors of academic buildings, hostels and pathways as per timeline and ensure campus cleanliness. All the waste of fallen leaves and tree branches should be Dumped in to the vermin composting pits for manure. Or college must go for composting method.
- Reduce the absolute amount of waste that it produces from college staff offices.
- Make full use of all recycling facilities provided by City Municipality and private suppliers, including glass, cans, white, colored and brown paper, plastic bottles, batteries, print cartridges, cardboard and furniture.

### **Energy Consumptions**

Energy source utilized by all the departments and common facility center is electricity only. Total energy consumption is determined for Feb month 2021 is, the total units consumptions are 9,041units and electricity bill pay for the Feb month is 1,60,010/- of all 12 meters present in the campus. The Water bill for the month Feb 2020 to Feb 2021 is 24,888/-. All the departments and common facility centers are equipped with Led bulb and CFL. The college can install the solar power generation to save electricity.

- Energy saving through the replacement of incandescent bulbs, CFL lamps and tube lights to LED light.
- Awareness programs for the stakeholders to save energy may also increase sustainability in the utilization of various energy source.
- Use energy efficient light-emitting diode (LED) bulbs instead of incandescent and CFL bulbs,
   maintain appliances and replace old appliances.
- Installation of complete solar power generation system in order to reduce conventional power and to have larger saving in power consumption and electricity bills.











### 11. CONCLUSION

This audit involved extensive consultation with all the campus team, interactions with key personnel on wide range of issues related to Environmental aspects. The audit has identified several observations for making the campus premise more environmental friendly. The recommendations are also mentioned with observations for campus team to initiate actions.

The Environment audit assists in the process of testing performance in the environmental arena and is fast becoming an indispensable aid to decision making in a college. The Environment audit reports assist in the process of attaining an eco-friendly approach to the sustainable development of the college. Hope that the results presented in the Environment auditing report will serve as a guide for educating the college community on the existing environment related practices and resource usage at the college as well as spawn new activities and innovative practices.

A few recommendations are added to curb the menace of environment management using eco-friendly and scientific techniques. This may lead to the prosperous future in context of Environment Campus and thus sustainable environment and community development.

It has been shown frequently that the practical suggestions, alternatives, and observations that have resulted from audits have added positive value to the audited organization. A Environment audit report is a very powerful and valuable communications tool to use when working with various stakeholders who need to be convinced that things are running smoothly and systems and procedures are coping with natural changes and modifications that occur.









## VARSHA SOOK consultants Life beyond H<sub>2</sub>O

## **Amenities at College**



• Aqua gaurd filter on each floor



• Two separate dustbins on each floor



Dustbins present backyard of college



• Entrance of old building














• Planted trees in campus



• Fire Hose Box to extinguish fire in the Campus



Parking area in Campus




















- Library in the College
- Floor plan on each floor









### ENGINEERING COLLEGE THADOMAL SHAHANI ENGINEERING COLLEGE

### **GREEN ENVIRONMENT INITIATIVES**

### TREE PLANTATION DRIVE:

TSEC with the help of Municipal Corporation of Greater Mumbai (MCGM) organized a Tree Plantation Drive on July 22nd, 2019 at Pali Hill Railway Colony, Carter Road, Bandra West. This event was glorified by the presence of Cabinet Minister Mr. Ashish Shellar, Corporator Ms. Swapna Mhatre, Asst. Commissioner H West MCGM Mr. Sharad Ughade, Principal of Thadomal Shahani Engineering College Dr. G. T. Thampi. Students, from different branches participated in the plantation drive. Also, the TSEC Drama Team performed a street play creating awareness about the adverse effects of deforestation and the need to grow more trees.









## ENGINEERING COLLEGE THADOMAL SHAHANI ENGINEERING COLLEGE









## THADOMAL SHAHANI ENGINEERING COLLEGE



### **CAUVERY CALLING:**

Isha Foundation collaborated with NSS - TSEC on the 4th of September 2019 to conduct a River awareness programme "CAUVERY CALLING" on the streets of Bandra where the NSS Volunteers willingly participated even in heavy rains and made the locals aware about how the deforestation has led to making our rivers dead and that their little contribution might be of great help in saving Cauvery.







## THADOMAL SHAHANI ENGINEERING COLLEGE





### **RAILWAY WALL PAINTING**

The walls and boards at Bandra station were given a facelift by the students of TSEC on the 26th of September. Students and teachers actively took part in creating awareness towards a clean and healthy environment through their paintings. The paintings were themed on topics of Swachh Bharat and Plastic ban.







# THADOMAL SHAHANI ENGINEERING COLLEGE







